


SAMSUNG



v1.0

Price List 2025

Note: Unless stated otherwise, all cooling and heating capacities shown are based on following test conditions:

Nominal Conditions Cooling:

Indoor Temperature: 27°C DB, 19°C
WB

Outdoor temperature: 35°C DB

Nominal Conditions Heating:

Indoor Temperature: 20°C DB

Outdoor Temperature: 7°C DB, 6°C
WB

v1.0 Contents

Type	Product	Description	Page
	SPLIT	Quick Price guide - Single Split Systems	2
	SPLIT	Quick Price guide - DPM Twin, Triple, Quad systems	3
Residential	RAC	Small capacity High Wall systems	4-5
Commercial Single Split Systems	SPLIT	360 cassette - Circular	6
	SPLIT	4way cassette - WindFree™	7
	SPLIT	4way mini cassette - WindFree™	8
	SPLIT	1way cassette - WindFree™	8
	SPLIT	Ceiling Suspended	9
	SPLIT	Floor & High Wall WindFree™ 2.5-7kW & 10kW Std Wall	10
	SPLIT	MSP Duct S	11
	SPLIT	Slim Duct & HSP Large Duct	12
	SPLIT	High Efficiency 360 Cassette	13
	SPLIT	High Efficiency 4way cassette - WindFree™	14
	SPLIT	High Efficiency Mini 4way cassette - WindFree™ & Ceiling	15
	SPLIT	High Efficiency Floor & Wall	16
	SPLIT	High Efficiency Duct S	17
	SPLIT	PAC Floor Cabinet	18
	SPLIT	Accessories & Controls	19
Commercial Twin, Triple & Quad systems	DPM	Twin Triple Quad - 4way mini cassette	20
	DPM	Twin Triple Quad - 4way cassette	21
	DPM	Twin Triple Quad - 360 cassette	22
	DPM	Twin Triple Quad - Slim Duct & 1way cassette	23
	DPM	Twin Triple Quad - MSP Duct S	24
	DPM	Twin Triple Quad - Wall	25
	DPM	Twin Triple Quad - Ceiling	26
	DPM	Twin Triple Quad - Accessories	27
Mini-multi split systems	FJM	Outdoor units	28
	FJM	Wall indoor units (from RAC range)	28
	FJM	Console & Ducted indoor units	29
	FJM	4way cassette indoor units - WindFree™ & Standard	29
	FJM	1way cassette indoor units - WindFree™ & Standard	29
VRF systems	DVM	R410A - Eco Outdoor units - 2pipe / 3pipe	30
	DVM	R410A - Water condenser units	30
	DVM	R410A - 2pipe Heat Pump Outdoor units	31
	DVM	R410A - 3pipe Heat Recovery Outdoor units	31
	DVM	R32 - Mini Outdoor units - 2pipe	32
	DVM	R410A Cassette Indoor units (360, 4way & 1way WindFree™)	33
	DVM	R410A Slim Duct Indoor units	34
	DVM	R410A Slim & Medium static Ducted Indoor units	34
	DVM	R410A High Static & Large Ducted Indoor units	34
	DVM	R410A EHS HYDRO Indoor units	35
	DVM	R410A Ceiling Indoor units & Console/Floor Indoor Units	35
	DVM	R410A Floor uncased & PAC Floor Cabinet Indoor units	35
	DVM	Universal Cassette Indoor units (360 & 4way WindFree™)	36
	DVM	Universal 1way WindFree™ Cassette	37
	DVM	Universal Slim & Medium static Ducted Indoor units	37
	DVM	Universal High Static Ducted & Ceiling Indoor units	38
	DVM	Universal High Wall indoor units - WindFree™ & Standard	38
	DVM	MCU & Branch Kits	39
	DVM	Panels & Accessories	39
	DVM	Controls	40
Ventilation	ERV	ERV - Energy Recovery Ventilators	41
	AHU	AHU Kits	41
CHILLER	CHILLER	DVM Chiller Outdoor units	42
	CHILLER	DVM Chiller FCU's	43
ASHP	EHS	AIR SOURCE HEAT PUMPS - Monobloc, Split & TDM+	44-48
		Services - Delivery & Commissioning	49

List Price Quick Guide - RAC & Commercial Single Split systems



	R32 RAC	2.0kW	2.5kW	3.5kW	4.3kW	5kW	6.5kW	Control option
	Cebu S2 High Wall	£520	£554	£614	£776	£947	£1,253	solar infra-red control standard Wired remote via interface
	Comfort S2 WindFree High Wall		£686	£751		£1,092	£1,418	solar infra-red control standard Wired remote via interface
	Avant S2 WindFree High Wall	£781	£837	£919	£1,088	£1,260	£1,646	solar infra-red control standard Wired remote via interface
	Avant Black WindFree High Wall	£794	£851	£935				solar infra-red control standard Wired remote via interface
	Elite WindFree High Wall		£997	£1,098				solar infra-red control standard Wired remote via interface

1phase									3phase					
	R32 SPLIT	2.5kW	3.5kW	5kW	7.1kW	10kW	12kW	14kW	Control	R410A	16kW	18kW	20kW	25kW
	360 Cassette				£1,897	£2,288	£2,528	£2,765	MWR-WG01JN standard					
	1way Cassette WindFree	£1,209	£1,294						MWR-WG01JN standard					
	4way Mini WindFree	£1,073	£1,179	£1,347	£1,658				MWR-WG01JN standard					
	4way Cassette WindFree			£1,483	£1,722	£2,105	£2,322	£2,549	MWR-WG01JN standard					
	Slim Duct	£1,040	£1,116	£1,258	£1,508				MWR-WG01JN standard					
	MSP Duct S		£1,123	£1,249	£1,518	£1,979	£2,179	£2,438	MWR-WG01JN standard					
	HSP Ducted								MWR-WG01JN standard	HSP Ducted			£4,274	£4,798
	High Wall WindFree	£837	£913	£1,106	£1,372				Infra-red std 10kW wired as standard					
	High Wall					£2,019								
	Ceiling			£1,173	£1,404	£2,369	£2,626	£2,908	<8kW Infrared std >9kW wired as standard					
	Floor Console	£905	£1,045	£1,225					Infra-red as standard					

* Prices are 1phase models (up to 14kW), 3phase 16-25kW, include Fascia (where applicable) and a wired remote (MWR-WG01JN) - 3phase models (10-14kW) will cost extra

HIGH EFFICIENCY CAC Models also available, also with longer pipe lengths, see pages 13-17.

Remote Controller options

	List Price		
	AR-EH03E AR-EH04E	Infra-red wireless Wall, Ceiling and floor units as std. optional for other models (apart from 360) AR-EH04E only for CAC HE models	£36
	AR-CH01E	Infra-red wireless Solar remote For 360 cassette and all WindFree models	£50
	MWR-WG01JN	Premium wired controller - for all models (RAC will require interface kit)	£95
	MWR-SH11N	Simple Touch wired controller - for all models (RAC will require interface kit)	£92

List Price Quick Guide - DPM Twin, Triple & Quad systems

1phase										3phase					
	R32	7kW TWIN	10kW TWIN	10kW TRIPLE	12kW TRIPLE	12kW QUAD	14kW TWIN	14kW TRIPLE	14kW QUAD	R410A	20kW TWIN	20kW TRIPLE	20kW QUAD	25kW TWIN	25kW QUAD
	1way Cassette WindFree	2 x 3.5 £2,274		3 x 3.5 £3,199		4 x 3.5 £3,966			4 x 3.5 £4,157						
	4way Mini WindFree	2 x 3.5 £2,044	2 x 5.0 £2,496	3 x 3.5 £2,854	3 x 5.0 £3,172	4 x 3.5 £3,506	2 x 7.1 £3,021	3 x 5.0 £3,363	4 x 3.5 £3,697	4way Mini WindFree		3 x 7.1 £4,481	4 x 5.0 £4,765		4 x 7.1 £5,435
	4way Cassette WindFree		2 x 5.0 £2,768		3 x 5.0 £3,580		2 x 7.1 £3,149	3 x 5.0 £3,771		4way Cassette WindFree	2 x 10.0 £4,079	3 x 7.1 £4,673	4 x 5.0 £5,309	2 x 12.0 £4,515	4 x 7.1 £5,691
	360 Cassette						2 x 7.1 £3,499			360 Cassette	2 x 10.0 £4,445	3 x 7.1 £5,198		2 x 12.0 £4,927	4 x 7.1 £6,391
	Slim Duct	2 x 3.5 £1,918	2 x 5.0 £2,318	3 x 3.5 £2,665	3 x 5.0 £2,905	4 x 3.5 £3,254	2 x 7.1 £2,721	3 x 5.0 £3,096	4 x 3.5 £3,445	Slim Duct		3 x 7.1 £4,031	4 x 5.0 £4,409		4 x 7.1 £4,835
	MSP Duct S	2 x 3.5 £1,932	2 x 5.0 £2,300	3 x 3.5 £2,686	3 x 5.0 £2,878	4 x 3.5 £3,282	2 x 7.1 £2,741	3 x 5.0 £3,069	4 x 3.5 £3,473	MSP Duct S	2 x 10.0 £3,827	3 x 7.1 £4,061	4 x 5.0 £4,373	2 x 12.0 £4,229	4 x 7.1 £4,875
	Ceiling		2 x 5.0 £2,338		3 x 5.0 £2,935		2 x 7.1 £2,703	3 x 5.0 £3,126		Ceiling	2 x 10.0 £4,607	3 x 7.1 £4,004	4 x 5.0 £4,449	2 x 12.0 £5,123	4 x 7.1 £4,799
	High Wall WindFree	2 x 3.5 £1,702	2 x 5.0 £2,204	3 x 3.5 £2,341	3 x 5.0 £2,734	4 x 3.5 £2,822	2 x 7.1 £2,639	3 x 5.0 £2,925	4 x 3.5 £3,013	High Wall WindFree		3 x 7.1 £3,908	4 x 5.0 £4,181		4 x 7.1 £4,671
	High Wall									High Wall	2 x 10.0 £3,907				

* Prices are 1phase models (up to 14kW), 3phase 16-25kW, include Fascia (where applicable) and a wired remote (MWR-WG01JN) - 3phase models (10-14kW) will cost extra

* Prices include associated branch pipe kit and 1 remote controller - **DPM systems must be installed in a single room/area**


HIGH EFFICIENCY DPM also available for 7-14kW outdoors, with longer pipe lengths, See DPM pages 20-27

DPM Piping Limitations


	R32 STANDARD		HIGH EFFICIENCY R32		R410A
	7,10 & 12kW OU	14kW OU	7kW OU	10, 12 & 14kW OU	20 & 25kW OU
Total Pipe length (all lengths combined)	50m	75m	55m	85m	75m
Max. Main pipe length (L ₁)	30m	50m	35m	55m	75m
Max. Leg length after branch pipe	15m				
Max. difference between leg length (e.g. L ₂ -L ₃)	5m				
Max. distance between Indoor units (D)	10m				
Max. height between Indoors & outdoor (h ₁)	30m				
Max. height difference between Indoors (h ₂)	0.5m				

* Indoor units should be installed in one area which is not divided by a wall & controlled by a remote


TWIN



TRIPLE



QUAD





NEW solar i/r remote



Cebu S2 High Wall System

- Standard Wall mounted with Wi-Fi Connectivity - SmartThings & AI Energy (wired control option via interface)

1 PHASE - R32

Model Reference	Description	Cool	Heat	SEER	SCoP	Max Fuse	Pipe size Liq. Gas	Max pipe length (height)	LIST PRICE £
AR50F07C1AHXEU	Inverter Heat Pump R32 Outdoor	2.0kW	2.2kW	7.6	4.2	10A	1/4", 3/8"	15m (8m)	301.00
AR50F07C1AHNEU	Cebu S2 High Wall Unit	(1.05-3kW)	(0.9-4.5kW)	A++	A+				219.00

System Price 520.00

AR50F09C1AHXEU	Inverter Heat Pump R32 Outdoor	2.5kW	3.2kW	7.4	4.2	10A	1/4", 3/8"	15m (8m)	317.00
AR50F09C1AHNEU	Cebu S2 High Wall Unit	(1.0-3.5kW)	(0.9-4.5kW)	A++	A+				237.00

System Price 554.00

AR50F12C1AHXEU	Inverter Heat Pump R32 Outdoor	3.5kW	3.5kW	7.0	4.2	10A	1/4", 3/8"	15m (8m)	352.00
AR50F12C1AHNEU	Cebu S2 High Wall Unit	(1.0-4.0kW)	(0.9-5.0kW)	A++	A+				262.00

System Price 614.00

AR50F15C1AHXEU	Inverter Heat Pump R32 Outdoor	4.3kW	4.3kW	7.6	4.5	13A	1/4", 3/8"	20m (8m)	444.00
AR50F15C1AHNEU	Cebu S2 High Wall Unit	(0.9-4.8kW)	(0.75-7kW)	A++	A+				332.00

System Price 776.00

AR50F18C1AHXEU	Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	7.0	4.1	13A	1/4", 1/2"	30m (15m)	542.00
AR50F18C1AHNEU	Cebu S2 High Wall Unit	(1.6-6.7kW)	(1.3-8.0kW)	A++	A+				405.00

System Price 947.00

AR50F24C1AHXEU	Inverter Heat Pump R32 Outdoor	6.5kW	7.4kW	6.8	4.1	16A	1/4", 5/8"	30m (15m)	719.00
AR50F24C1AHNEU	Cebu S2 High Wall Unit	(1.4-7.6kW)	(1.2-9.7kW)	A++	A+				534.00

System Price 1,253.00

*All RAC units supplied with solar infra-red remote control as standard



NEW solar i/r remote



COMFORT WindFree™ S2 High Wall System

- Draft Free operation with 23,000 microholes, Freezewash, Wi-Fi connectivity & SmartThings AI Energy (wired control option via interface)

1 PHASE - R32

Model Reference	Description	Cool	Heat	SEER	SCoP	Max Fuse	Pipe size Liq. Gas	Max pipe length (height)	LIST PRICE £
AR60F09C1AWXEU	Inverter Heat Pump R32 Outdoor	2.5kW	3.2kW	7.9	4.6	10A	1/4", 3/8"	15m (8m)	375.00
AR60F09C1AWNEU	Comfort WindFree S2 High Wall	(1.0-3.5kW)	(0.88-5kW)	A++	A++				311.00

System Price 686.00

AR60F12C1AWXEU	Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	7.6	4.6	10A	1/4", 3/8"	15m (8m)	415.00
AR60F12C1AWNEU	Comfort WindFree S2 High Wall	(0.9-4.2kW)	(0.85-5kW)	A++	A++				336.00

System Price 751.00

AR60F18C1AWXEU	Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	7.2	4.1	13A	1/4", 1/2"	30m (15m)	620.00
AR60F18C1AWNEU	Comfort WindFree S2 High Wall	(1.6-6.7kW)	(1.3-8.0kW)	A++	A+				472.00

System Price 1,092.00

AR60F24C1AWXEU	Inverter Heat Pump R32 Outdoor	6.5kW	7.4kW	7.0	4.1	16A	1/4", 5/8"	30m (15m)	801.00
AR60F24C1AWNEU	Comfort WindFree S2 High Wall	(1.4-7.6kW)	(1.2-9.7kW)	A++	A+				617.00

System Price 1,418.00

*All RAC units supplied with solar infra-red remote control as standard

Accessories for RAC High Wall

LIST PRICE £

MIM-A00N	Interface to connect NASA wired remote controller to RAC High Wall (Check suitability)	24.00
MWR-WG01JN	LCD COLOUR PREMIUM Wired Controller (NASA)	95.00
MIM-R10N	Interface to connect RAC High Wall to Central Control network (Check outdoor suitability)	174.00



NEW solar
i/r remote



AVANT WindFree™ S2 High Wall System

- Draft Free operation with 23,000 microholes, Tri-Filter, Freezewash, Wi-Fi & SmartThings AI Energy (wired control option via interface)

1 PHASE - R32

Model Reference	Description	Cool	Heat	SEER	SCoP	Max Fuse	Pipe size Liq, Gas	Max pipe length (height)	LIST PRICE £
-----------------	-------------	------	------	------	------	----------	-----------------------	-----------------------------	--------------

New
size

AR70F07C1AWXEU	Inverter Heat Pump R32 Outdoor	2.0kW	2.2kW	9.0	4.8	13A	1/4", 3/8"	20m (8m)	453.00
AR70F07C1AWNEU	Avant WindFree S2 High Wall Unit	(1.0-3.2kW)	(0.7-6.7kW)	A+++	A++				328.00

System Price 781.00

AR70F09C1AWXEU	Inverter Heat Pump R32 Outdoor	2.5kW	3.2kW	8.8	4.8	13A	1/4", 3/8"	20m (8m)	477.00
AR70F09C1AWNEU	Avant WindFree S2 High Wall Unit	(1.0-3.7kW)	(0.7-7.0kW)	A+++	A++				360.00

System Price 837.00

AR70F12C1AWXEU	Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	8.6	4.8	13A	1/4", 3/8"	20m (8m)	525.00
AR70F12C1AWNEU	Avant WindFree S2 High Wall Unit	(1.0-4.6kW)	(0.7-7.2kW)	A+++	A++				394.00

System Price 919.00

New
size

AR70F15C1AWXEU	Inverter Heat Pump R32 Outdoor	4.3kW	4.7kW	8.0	4.6	13A	1/4", 3/8"	20m (8m)	620.00
AR70F15C1AWNEU	Avant WindFree S2 High Wall Unit	(1.0-5.0kW)	(0.7-7.6kW)	A++	A++				468.00

System Price 1,088.00

AR70F18C1AWXEU	Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	7.2	4.1	13A	1/4", 1/2"	30m (15m)	717.00
AR70F18C1AWNEU	Avant WindFree S2 High Wall Unit	(1.6-6.7kW)	(1.3-8.0kW)	A++	A+				543.00

System Price 1,260.00

AR70F24C1AWXEU	Inverter Heat Pump R32 Outdoor	6.5kW	7.4kW	7.0	4.3	16A	1/4", 5/8"	30m (15m)	926.00
AR70F24C1AWNEU	Avant WindFree S2 High Wall Unit	(1.4-7.6kW)	(1.2-9.7kW)	A++	A+				720.00

System Price 1,646.00

*All RAC units supplied with solar infra-red remote control as standard



NEW Black
Model



AVANT WindFree™ BLACK High Wall System

- Draft Free operation with 23,000 microholes, Tri-Filter, Freezewash, Wi-Fi & SmartThings AI Energy (wired control option via interface)

1 PHASE - R32

Model Reference	Description	Cool	Heat	SEER	SCoP	Max Fuse	Pipe size Liq, Gas	Max pipe length (height)	LIST PRICE £
-----------------	-------------	------	------	------	------	----------	-----------------------	-----------------------------	--------------

AR70F07C1AWXEU	Inverter Heat Pump R32 Outdoor	2.0kW	2.2kW	9.0	4.8	13A	1/4", 3/8"	20m (8m)	453.00
AR70F07C1ABNEU	Avant WindFree Black High Wall	(1.0-3.2kW)	(0.7-6.7kW)	A+++	A++				341.00

System Price 794.00

AR70F09C1AWXEU	Inverter Heat Pump R32 Outdoor	2.5kW	3.2kW	8.8	4.8	13A	1/4", 3/8"	20m (8m)	477.00
AR70F09C1ABNEU	Avant WindFree Black High Wall	(1.0-3.7kW)	(0.2-7.0kW)	A+++	A++				374.00

System Price 851.00

AR70F12C1AWXEU	Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	8.6	4.8	13A	1/4", 3/8"	20m (8m)	525.00
AR70F12C1ABNEU	Avant WindFree Black High Wall	(1.0-4.6kW)	(0.7-7.2kW)	A+++	A++				410.00

System Price 935.00

*All RAC units supplied with solar infra-red remote control as standard



solar i/r
remote



ELITE WindFree™ S2 High Wall System

- Draft Free operation with 23,000 microholes, Tri-Filter, Motion Sensor, Freezewash, Wi-Fi & SmartThings AI Energy (wired control via interface)

1 PHASE - R32

Model Reference	Description	Cool	Heat	SEER	SCoP	Max Fuse	Pipe size Liq, Gas	Max pipe length (height)	LIST PRICE £
-----------------	-------------	------	------	------	------	----------	-----------------------	-----------------------------	--------------

AR70F09CAAWXEU	Inverter Heat Pump R32 Outdoor	2.5kW	3.2kW	9.5	5.1	10A	1/4", 3/8"	20m (8m)	578.00
AR70F09CAAWNEU	Elite WindFree S2 High Wall Unit	(1.0-4.0kW)	(0.7-7.1kW)	A+++	A+++				419.00

System Price 997.00

AR70F12CAAWXEU	Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	8.8	5.1	13A	1/4", 3/8"	20m (8m)	641.00
AR70F12CAAWNEU	Elite WindFree S2 High Wall Unit	(1.0-4.8kW)	(0.7-7.3kW)	A+++	A+++				457.00

System Price 1,098.00

*All RAC units supplied with solar infra-red remote control as standard

Accessories for RAC High Wall

LIST PRICE £

MIM-A00N	Interface to connect NASA wired remote controller to RAC High Wall (Check suitability)	24.00
MWR-WG01JN	LCD COLOUR PREMIUM Wired Controller (NASA)	95.00
MIM-R10N	Interface to connect RAC High Wall to Central Control network (Check outdoor suitability)	174.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

360 Cassette



1 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								

AC071RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	6.7	4.2	20A	1/4", 5/8"	50m (30m)	986.00
AC071RN4PKG/EU	360 Cassette indoor	(1.5-8.7kW)	(1.9-9kW)	A++	A+				665.00
PC4NUNMAN	360 Cassette Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,897.00

AC100RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	6.8	4.3	30A	3/8", 5/8"	50m (30m)	1,334.00
AC100RN4PKG/EU	360 Cassette indoor	(3-12kW)	(2.2-15.5kW)	A++	A+				708.00
PC4NUNMAN	360 Cassette Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,288.00

AC120RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	12.0kW	13.2kW	6.0	4.0	30A	3/8", 5/8"	50m (30m)	1,496.00
AC120RN4PKG/EU	360 Cassette indoor	(3.5-13.5kW)	(3.5-15.5kW)	A+	A+				786.00
PC4NUNMAN	360 Cassette Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,528.00

AC140RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	13.4kW	15.5kW	6.4	4.1	40A	3/8", 5/8"	75m (30m)	1,687.00
AC140RN4PKG/EU	360 Cassette indoor	(3.5-15.5kW)	(3.5-18kW)						832.00
PC4NUNMAN	360 Cassette Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,765.00

3 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								

AC100RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	6.8	4.3	20A/ph	3/8", 5/8"	50m (30m)	1,408.00
AC100RN4PKG/EU	360 Cassette indoor	(3-12kW)	(2.2-15.5kW)	A++	A+				708.00
PC4NUNMAN	360 Cassette Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,362.00

AC120RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	12.0kW	13.2kW	6.0	4.0	20A/ph	3/8", 5/8"	50m (30m)	1,558.00
AC120RN4PKG/EU	360 Cassette indoor	(3.5-13.5kW)	(3.5-15.5kW)	A+	A+				786.00
PC4NUNMAN	360 Cassette Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,590.00

AC140RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	13.4kW	15.5kW	6.4	4.1	20A/ph	3/8", 5/8"	75m (30m)	1,745.00
AC140RN4PKG/EU	360 Cassette indoor	(3.5-15.5kW)	(3.5-18kW)						832.00
PC4NUNMAN	360 Cassette Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,823.00

Accessories for 360 Cassette									LIST PRICE £
------------------------------	--	--	--	--	--	--	--	--	--------------

MWR-WG01JN	LCD COLOUR PREMIUM Wired Controller (NASA)								95.00
MWR-SH11N	Simplified Wired Remote Controller (NASA)								92.00
PC4NUDMAN	360 Cassette Fascia Panel - Square WHITE								151.00
PC4NBDMAN	360 Cassette Fascia Panel - Square BLACK								151.00
PC4NBDMAN	360 Cassette Fascia Panel - Round BLACK								151.00
PC6EUCMAN	360 Cassette Fascia Panel Round - PURE Filter								480.00
PC6EUXMAN	360 Cassette Fascia Panel Round - AutoLIFT								452.00
MCR-SME	Motion detect sensor for 360 Cassette - for SQUARE panel								69.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)								50.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU								139.00
MRW-TA	Remote Temperature Sensor								23.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

R32

4way Cassette - WindFree™



1 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								
AC052RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	7.6	4.3	20A	1/4", 1/2"	30m (20m)	761.00
AC052RN4DKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(1-6.5kW)	(1-7kW)	A++	A+				476.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,483.00

AC071RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	6.7	4.2	20A	1/4", 5/8"	50m (30m)	986.00
AC071RN4DKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(1.5-8.7kW)	(1.9-9kW)	A++	A+				490.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,722.00

AC100RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	7.0	4.3	25A	3/8", 5/8"	50m (30m)	1,334.00
AC100RN4DKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(3-12kW)	(2.2-15.5kW)	A++	A+				525.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,105.00

AC120RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	12.0kW	13.2kW	6.0	4.0	30A	3/8", 5/8"	50m (30m)	1,496.00
AC120RN4DKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(3.5-13.5kW)	(3.5-15.5kW)	A+	A+				580.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,322.00

AC140RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	13.4kW	15.5kW	6.6	4.3	40A	3/8", 5/8"	75m (30m)	1,687.00
AC140RN4DKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(3.5-15.5kW)	(3.5-18kW)						616.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,549.00

3 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								
AC100RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	7.0	4.3	20A/ph	3/8", 5/8"	50m (30m)	1,408.00
AC100RN4DKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(3-12kW)	(2.2-15.5kW)	A++	A+				525.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,179.00

AC120RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	12.0kW	13.2kW	6.0	4.0	20A/ph	3/8", 5/8"	50m (30m)	1,558.00
AC120RN4DKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(3.5-13.5kW)	(3.5-15.5kW)	A+	A+				580.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,384.00

AC140RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	13.4kW	15.5kW	6.6	4.3	20A/ph	3/8", 5/8"	75m (30m)	1,745.00
AC140RN4DKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(3.5-15.5kW)	(3.5-18kW)						616.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,607.00

Accessories for WindFree 4way Cassette									LIST PRICE £
--	--	--	--	--	--	--	--	--	--------------

MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel	151.00
PC4NBFMANW	WindFree 4-Way Cassette Fascia Panel - BLACK	151.00
PC4NUCEAN	WindFree 4-Way Cassette Fascia Panel - PURE Filter	541.00
PC4NUXMAN	WindFree 4-Way Cassette Fascia Panel - AutoLIFT	376.00
MCR-SMC	Motion detect sensor for 4-way wind-free Cassette - for 950x950 panel	69.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)	36.00
MIM-H04EN	NEW Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00
MRW-TA	Remote Temperature Sensor	23.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

4way Mini Cassette - WindFree™

R32



1 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								

AC026RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	2.6kW	3.4kW	7.1	4.3	13A	1/4", 3/8"	20m (15m)	581.00
AC026RNNDKG/EU	WindFree 4-Way Cassette (575mm x 575mm)	(0.87-4.1kW)	(0.98-4.1kW)	A++	A+				251.00
PC4SUFMAN	WindFree Mini 4-Way Cassette Fascia Panel								146.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00

System Price 1,073.00

AC035RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	7.0	4.3	13A	1/4", 3/8"	20m (15m)	645.00
AC035RNNDKG/EU	WindFree 4-Way Cassette (575mm x 575mm)	(0.88-4.5kW)	(1-4.8kW)	A++	A+				293.00
PC4SUFMAN	WindFree Mini 4-Way Cassette Fascia Panel								146.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00

System Price 1,179.00

AC052RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	5.5kW	6.7	4.2	20A	1/4", 1/2"	30m (20m)	761.00
AC052RNNDKG/EU	WindFree 4-Way Cassette (575mm x 575mm)	(1.3-6.2kW)	(1.3-7.5kW)	A++	A+				345.00
PC4SUFMAN	WindFree Mini 4-Way Cassette Fascia Panel								146.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00

System Price 1,347.00

AC071RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	6.8kW	7.5kW	6.1	3.8	20A	1/4", 5/8"	50m (30m)	986.00
AC071RNNDKG/EU	WindFree 4-Way Cassette (575mm x 575mm)	(1.5-8.3kW)	(1.9-9.9kW)	A++	A				431.00
PC4SUFMAN	WindFree Mini 4-Way Cassette Fascia Panel								146.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00

System Price 1,658.00

Accessories for WindFree 4way mini Cassette									LIST PRICE £
---	--	--	--	--	--	--	--	--	--------------

MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
PC4SUFMAN	WindFree Mini 4-Way Cassette Fascia Panel - 620x620	146.00
MCR-SMD	Motion detect sensor for 4-way wind-free Cassette - for 620x620 panel	69.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)	36.00
MIM-H04EN	NEW Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00
MRW-TA	Remote Temperature Sensor	23.00

1way Cassette - WindFree™

R32



1 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								

AC026RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	2.6kW	3.3kW	6.4	4.0	13A	1/4", 3/8"	20m (15m)	581.00
AC026RN1DKG/EU	WindFree 1-Way Cassette	(0.82-3.8kW)	(0.85-4.4kW)	A++	A+				387.00
PC1NWFMAN	WindFree 1-Way Cassette Panel - Medium								146.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00

System Price 1,209.00

AC035RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	6.2	4.0	13A	1/4", 3/8"	20m (15m)	645.00
AC035RN1DKG/EU	WindFree 1-Way Cassette	(0.98-4.2kW)	(1-5kW)	A++	A+				408.00
PC1NWFMAN	WindFree 1-Way Cassette Panel - Medium								146.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00

System Price 1,294.00

Accessories for WindFree 1way slim Cassette									LIST PRICE £
---	--	--	--	--	--	--	--	--	--------------

MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
PC1NWFMAN	WindFree 1-Way Cassette Fascia Panel - Medium	146.00
PC1NWCMAN	WindFree 1-Way Cassette Fascia Panel - Medium - PURE Filter	452.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)	36.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00
MRW-TA	Remote Temperature Sensor	23.00

Large Ceiling Suspended

R32



1 PHASE - R32						Max.	Pipe size	Max. pipe	
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq. Gas	length (height)	LIST PRICE £
AC100RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	6.1	4.0	30A	3/8", 5/8"	50m (30m)	1,334.00
AC100RNCDBG/EU	Under Ceiling Unit	(3-12kW)	(2.2-15.5kW)	A++	A+				940.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,369.00
AC120RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	12.0kW	13.2kW	5.9	4.0	30A	3/8", 5/8"	50m (30m)	1,496.00
AC120RNCDBG/EU	Under Ceiling Unit	(3.5-13.5kW)	(3.8-16.5kW)	A+	A+				1,035.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,626.00
AC140RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	13.4kW	15.5kW	6.1	4.0	40A	3/8", 5/8"	75m (30m)	1,687.00
AC140RNCDBG/EU	Under Ceiling Unit	(3.5-15.5kW)	(3.5-18kW)						1,126.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,908.00

3 PHASE - R32						Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP				
AC100RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	6.1	4.0	20A/ph	3/8", 5/8"	50m (30m)	1,408.00
AC100RNCDBG/EU	Under Ceiling Unit	(3-12kW)	(2.2-15.5kW)	A++	A+				940.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,443.00
AC120RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	12.0kW	13.2kW	5.9	4.0	20A/ph	3/8", 5/8"	50m (30m)	1,558.00
AC120RNCDBG/EU	Under Ceiling Unit	(3.5-13.5kW)	(3.8-16.5kW)	A+	A+				1,035.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,688.00
AC140RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	13.4kW	15.5kW	6.1	4.0	20A/ph	3/8", 5/8"	75m (30m)	1,745.00
AC140RNCDBG/EU	Under Ceiling Unit	(3.5-15.5kW)	(3.5-18kW)						1,126.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								
System Price									2,966.00

Ceiling Suspended

R32



1 PHASE - R32						Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE €
Model Reference	Description	Cool	Heat	SEER	SCoP				
AC052RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	6.4	3.9	20A	1/4", 1/2"	30m (20m)	761.00
AC052RNCDBG/EU	Under Ceiling Unit	(1.2-6.5kW)	(1.7-7.7kW)	A++	A				412.00
MR-EH01	Wireless Remote Controller								included
System Price									1,173.00
AC071RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	5.6	3.9	25A	1/4", 5/8"	50m (30m)	986.00
AC071RNCDBG/EU	Under Ceiling Unit	(1.5-8.7kW)	(1.9-9kW)	A+	A				418.00
MR-EH01	Wireless Remote Controller								included
System Price									1,404.00

Accessories for Ceiling		LIST PRICE £
MWR-WG01JN	LCD COLOUR PREMIUM Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

R32



Floor Console

1 PHASE - R32						Max.	Pipe size	Max. pipe	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq. Gas	length (height)	
AC026RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	2.6kW	3.56kW	6.4	4.2	13A	1/4", 3/8"	20m (15m)	581.00
AC026RNJDKG/EU	Console Floor Standing Unit	(0.98-3.4kW)	(0.95-4.2kW)	A++	A+				324.00
MR-EH01	Wireless Remote Controller								included
System Price									905.00
AC035RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	6.1	4.1	13A	1/4", 3/8"	20m (15m)	645.00
AC035RNJDKG/EU	Console Floor Standing Unit	(1.15-3.9kW)	(1.05-4.6kW)	A++	A+				400.00
MR-EH01	Wireless Remote Controller								included
System Price									1,045.00
AC052RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	5.6kW	5.9	4.0	20A	1/4", 1/2"	30m (20m)	761.00
AC052RNJDKG/EU	Console Floor Standing Unit	(1.9-5.5kW)	(1.5-6.5kW)	A+	A+				464.00
MR-EH01	Wireless Remote Controller								included
System Price									1,225.00

R32



WindFree™ High Wall

1 PHASE - R32						Max.	Pipe size	Max. pipe	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq. Gas	length (height)	
AC026RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	2.6kW	3.3kW	7.0	4.1	13A	1/4", 3/8"	20m (15m)	581.00
AC026TNXDKG/EU	WindFree High Wall Mounted Unit	(0.96-4kW)	(0.75-4kW)	A++	A+				256.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)								included
System Price									837.00
AC035RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	6.9	4.1	13A	1/4", 3/8"	20m (15m)	645.00
AC035TNXDKG/EU	WindFree High Wall Mounted Unit	(1.4-5kW)	(0.8-4.8kW)	A++	A+				268.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)								included
System Price									913.00
AC052RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	6.9	3.9	20A	1/4", 1/2"	30m (20m)	761.00
AC052TNXDKG/EU	WindFree High Wall Mounted Unit	(1.5-6.8kW)	(1.0-6.5kW)	A++	A				345.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)								included
System Price									1,106.00
AC071RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	6.8	4.0	20A	1/4", 5/8"	50m (30m)	986.00
AC071TNXDKG/EU	WindFree High Wall Mounted Unit	(2.0-8.7kW)	(1.6-9kW)	A++	A+				386.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)								included
System Price									1,372.00

R32

10kW high Wall



10kW High Wall

1 PHASE - R32						Max.	Pipe size	Max. pipe	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq. Gas	length (height)	
AC100RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	9.5kW	10.8kW	5.9	4.0	30A	3/8", 5/8"	50m (30m)	1,334.00
AC100RNTDKG/EU	High Wall Mounted Unit	(3-11kW)	(2.2-15.5kW)	A+	A+				590.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,019.00
3 PHASE - R32						Max.	Pipe size	Max. pipe	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq. Gas	length (height)	
AC100RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	9.5kW	10.8kW	5.9	4.0	20A/ph	3/8", 5/8"	50m (30m)	1,408.00
AC100RNTDKG/EU	High Wall Mounted Unit	(3-11kW)	(2.2-15.5kW)	A+	A+				590.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,093.00

Accessories for Console and Wall									LIST PRICE £
----------------------------------	--	--	--	--	--	--	--	--	--------------

MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
AR-EH03E	Wireless Remote controller (SPLIT/DVM)	36.00
MIM-H04EN	NEW Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

DUCT S MSP Ducted

R32



1 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								

AC035RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	6.4	4.1	13A	1/4", 3/8"	20m (15m)	645.00
AC035RNMDKG/EU	Duct S Ducted Unit	(0.8-4kW)	(1.1-4.7kW)	A++	A+				383.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,123.00

AC052RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	6.3	4.1	20A	1/4", 1/2"	30m (20m)	761.00
AC052RNMDKG/EU	Duct S Ducted Unit	(1.2-6.5kW)	(1.1-7.2kW)	A++	A+				393.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,249.00

AC071RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	6.8kW	8.0kW	6.1	4.0	20A	1/4", 5/8"	50m (30m)	986.00
AC071RNMDKG/EU	Duct S Ducted Unit	(1.5-8.7kW)	(1.9-9kW)	A++	A+				437.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,518.00

AC100RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	5.9	4.0	30A	3/8", 5/8"	50m (30m)	1,334.00
AC100RNMDKG/EU	Duct S Ducted Unit	(3-12kW)	(2.2-15.5kW)	A+	A+				550.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,979.00

AC120RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	12.0kW	13.2kW	5.8	4.0	30A	3/8", 5/8"	50m (30m)	1,496.00
AC120RNMDKG/EU	Duct S Ducted Unit	(3-13.5kW)	(2.5-17kW)	A+	A+				588.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,179.00

AC140RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	13.4kW	15.5kW	6.0	4.0	40A	3/8", 5/8"	75m (30m)	1,687.00
AC140RNMDKG/EU	Duct S Ducted Unit	(3.5-15.5kW)	(3.5-18kW)						656.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,438.00

3 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								

AC100RXADNG/EU	3ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	5.9	4.0	20A/ph	3/8", 5/8"	50m (30m)	1,408.00
AC100RNMDKG/EU	Duct S Ducted Unit	(3-12kW)	(2.2-15.5kW)	A+	A+				550.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,053.00

AC120RXADNG/EU	3ph Inverter Heat Pump R32	12.0kW	13.2kW	5.8	4.0	20A/ph	3/8", 5/8"	50m (30m)	1,558.00
AC120RNMDKG/EU	Duct S Ducted Unit	(3-13.5kW)	(2.5-17kW)	A+	A+				588.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,241.00

AC140RXADNG/EU	3ph Inverter Heat Pump R32	13.4kW	15.5kW	6.0	4.0	20A/ph	3/8", 5/8"	75m (30m)	1,745.00
AC140RNMDKG/EU	Duct S Ducted Unit	(3.5-15.5kW)	(3.5-18kW)						656.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,496.00

Accessories for Duct S									LIST PRICE £
------------------------	--	--	--	--	--	--	--	--	--------------

MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)								92.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU								139.00
MRK-A10N	DUCT S & Slim Duct Wireless Signal Receiver Kit (requires AR-EH03E)								35.00
AR-EH03E	Wireless Remote controller (SPLIT/DVM)								36.00
MRW-TA	Remote Temperature Sensor								23.00
MDP-G075SP	Drain Pump for DUCT S Ducted Unit (External Assembly)								76.00
MDP-G075SQ	Drain Pump for DUCT S Ducted Unit (Internal Assembly)								76.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

R32



Slim Ducted

Now only 199mm high & 440mm deep

1 PHASE - R32										Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP								
AC026RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	2.6kW	3.5kW	6.2	4.0	13A	1/4", 3/8"	20m (15m)	581.00				
AC026BNLDKG/EU	Slim Ducted Unit	(0.8-3.8kW)	(0.85-4.3kW)	A++	A+				364.00				
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00				
System Price													1,040.00
AC035RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	6.1	4.0	13A	1/4", 3/8"	20m (15m)	645.00				
AC035BNLDKG/EU	Slim Ducted Unit	(0.85-4.3kW)	(1-5kW)	A++	A+				376.00				
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00				
System Price													1,116.00
AC052RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	6.1	4.0	20A	1/4", 1/2"	30m (20m)	761.00				
AC052BNLDKG/EU	Slim Ducted Unit	(1.2-6.5kW)	(1.1-7.2kW)	A++	A+				402.00				
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00				
System Price													1,258.00
AC071RXADKG/EU	1ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	6.0	3.9	20A	1/4", 5/8"	50m (30m)	986.00				
AC071BNLDKG/EU	Slim Ducted Unit	(1.5-8.7kW)	(1.9-9kW)	A+	A				427.00				
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00				
System Price													1,508.00

Accessories for Slim Duct LIST PRICE £

MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
MRW-TA	Remote Temperature Sensor	23.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00
MRK-A10N	DUCT S & Slim Duct Wireless Signal Receiver Kit (requires AR-EH03E)	35.00
AR-EH03E	Wireless Remote controller (SPLIT/DVM)	36.00
MDP-Z075SZED	Drain Pump for Slim Ducted Unit (AC***BNL) models	81.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

R410A



Large High Static Ducted

3 PHASE - R410A										Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description	Cool	Heat	EER	CoP								
AC200KXAPNH/EU	3ph Inverter Heat Pump R410A Outdoor	20.0kW	23.0kW	3.1	3.5	30A/ph	3/8", 3/4"	75m (30m)	2,547.00				
AC200KNHPKH/EU	Large Ducted Unit **	(7.5-23kW)	(8.5-25kW)						1,632.00				
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00				
System Price													4,274.00
AC250KXAPNH/EU	3ph Inverter Heat Pump R410A Outdoor	25.0kW	27.0kW	2.6	3.2	30A/ph	3/8", 7/8"	75m (30m)	2,873.00				
AC250KNHPKH/EU	Large Ducted Unit **	(6-28.5kW)	(10-32kW)						1,830.00				
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00				
System Price													4,798.00

NOTE: Separate 1ph power supply required for Large Ducted indoor unit.

** Filters for large high Static ducted units must be obtained by 3rd party (in-line duct filters are recommended)

Accessories for Large HSP Ducted LIST PRICE £

MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MRW-TA	Remote Temperature Sensor	23.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00
MDP-G075SP	Drain Pump for DUCT S Ducted Unit (External Assembly)	76.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

HIGH EFFICIENCY 360 Cassette



13

1 PHASE - R32						Max.	Pipe size	Max. pipe	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq, Gas	length (height)	

AC052BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	8.3	4.6	20A	1/4", 1/2"	50m (30m)	1,042.00
AC052BN6PKG/EU	360 Cassette indoor	(1.2-7.5kW)	(1-9.3kW)	A++	A++				645.00
PC6EUSMANW	360 Cassette Wifi Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,933.00

AC071BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	7.8	4.6	25A	3/8", 5/8"	55m (30m)	1,336.00
AC071BN6PKG/EU	360 Cassette indoor	(2.1-9.8kW)	(2-12.7kW)	A++	A++				665.00
PC6EUSMANW	360 Cassette Wifi Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,247.00

AC100BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	7.6	4.6	35A	3/8", 5/8"	85m (30m)	1,794.00
AC100BN6PKG/EU	360 Cassette indoor	(3.8-12.5kW)	(3.2-18.8kW)	A++	A++				708.00
PC6EUSMANW	360 Cassette Wifi Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,748.00

3 PHASE - R32						Max.	Pipe size	Max. pipe	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq, Gas	length (height)	

AC071BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	7.8	4.6	20A/ph	3/8", 5/8"	55m (30m)	1,403.00
AC071BN6PKG/EU	360 Cassette indoor	(2.1-9.8kW)	(2-12.7kW)	A++	A++				665.00
PC6EUSMANW	360 Cassette Wifi Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,314.00

AC100BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	7.6	4.6	20A/ph	3/8", 5/8"	85m (30m)	1,885.00
AC100BN6PKG/EU	360 Cassette indoor	(3.8-12.5kW)	(3.2-18.8kW)	A++	A++				708.00
PC6EUSMANW	360 Cassette Wifi Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,839.00

AC120BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	12.1kW	13.2kW	7.3	4.4	20A/ph	3/8", 5/8"	85m (30m)	2,087.00
AC120BN6PKG/EU	360 Cassette indoor	(4.1-14kW)	(3.2-20kW)	A++	A+				786.00
PC6EUSMANW	360 Cassette Wifi Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									3,119.00

AC140BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	13.4kW	15.5kW	7.1	4.4	20A/ph	3/8", 5/8"	85m (30m)	2,326.00
AC140BN6PKG/EU	360 Cassette indoor	(4.2-15.5kW)	(3.2-21kW)						832.00
PC6EUSMANW	360 Cassette Wifi Fascia Panel Round WHITE								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									3,404.00

Accessories for 360 Cassette High Efficiency (HE)									LIST PRICE £
---	--	--	--	--	--	--	--	--	--------------

MWR-WG01JN	LCD COLOUR PREMIUM Wired Controller (NASA)	95.00
MWR-SH11N	Simplified Wired Remote Controller (NASA)	92.00
PC6NUSMANW	360 Cassette Wifi Fascia Panel - Square WHITE (built-in MIM-H14EN wifi for use with CAC HE models only)	151.00
PC6NBSMANW	360 Cassette Wifi Fascia Panel - Square BLACK (built-in MIM-H14EN wifi for use with CAC HE models only)	151.00
PC6EBSMANW	360 Cassette Wifi Fascia Panel - Round BLACK (built-in MIM-H14EN wifi for use with CAC HE models only)	151.00
PC6EUCMANW	360 Cassette Wifi Fascia Panel Round - PURE Filter (built-in MIM-H14EN wifi for use with CAC HE models only)	480.00
PC6EUXMANW	360 Cassette Wifi Fascia Panel Round - AutoLIFT (built-in MIM-H14EN wifi for use with CAC HE models only)	452.00
MCR-SME	Motion detect sensor for 360 Cassette - for SQUARE panel	69.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
MIM-H14EN	Wi-Fi Receiver 2.1 for HIGH EFFICIENCY CASSETTE ONLY (not required if Wifi panel is selected)	152.00
MRW-TA	Remote Temperature Sensor	23.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

R32



HIGH EFFICIENCY 4way Cassette - WindFree™

1 PHASE - R32						Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP				
AC052BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	8.5	4.9	20A	1/4", 1/2"	50m (30m)	1,042.00
AC052BN4PKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(1.1-8kW)	(1.1-9.5kW)	A+++	A++				476.00
PC4NUFMANW	WindFree 4-Way Cassette Wifi Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,764.00
AC071BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	8.5	4.8	25A	3/8", 5/8"	55m (30m)	1,336.00
AC071BN4PKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(2.4-10kW)	(2.2-13kW)	A+++	A++				490.00
PC4NUFMANW	WindFree 4-Way Cassette Wifi Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,072.00
AC100BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	8.0	4.8	35A	3/8", 5/8"	85m (30m)	1,794.00
AC100BN4PKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(3.8-13.3kW)	(2.8-20kW)	A++	A++				525.00
PC4NUFMANW	WindFree 4-Way Cassette Wifi Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,565.00
3 PHASE - R32									
Model Reference	Description	Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
AC071BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	8.5	4.8	20A/ph	3/8", 5/8"	55m (30m)	1,403.00
AC071BN4PKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(2.4-10kW)	(2.2-13kW)	A+++	A++				490.00
PC4NUFMANW	WindFree 4-Way Cassette Wifi Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,139.00
AC100BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	8.0	4.8	20A/ph	3/8", 5/8"	85m (30m)	1,885.00
AC100BN4PKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(3.8-13.3kW)	(2.8-20kW)	A++	A++				525.00
PC4NUFMANW	WindFree 4-Way Cassette Wifi Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,656.00
AC120BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	12.1kW	13.2kW	8.0	4.7	20A/ph	3/8", 5/8"	85m (30m)	2,087.00
AC120BN4PKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(3.8-14.5kW)	(2.8-22.5kW)	A++	A++				580.00
PC4NUFMANW	WindFree 4-Way Cassette Wifi Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,913.00
AC140BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	13.4kW	15.5kW	8.0	4.7	20A/ph	3/8", 5/8"	85m (30m)	2,326.00
AC140BN4PKG/EU	WindFree 4-Way Cassette (840mm x 840mm)	(4.1-17.1kW)	(2.8-22.8kW)						616.00
PC4NUFMANW	WindFree 4-Way Cassette Wifi Fascia Panel								151.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									3,188.00
Accessories for WindFree 4way Cassette									LIST PRICE £
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)								92.00
PC4NUFMANW	WindFree 4-Way Cassette WifiFascia Panel (built-in MIM-H14EN wifi for use with CAC HE models only)								151.00
PC4NBFMANW	WindFree 4-Way Cassette Wifi Fascia Panel BLACK (built-in MIM-H14EN wifi for use with CAC HE models only)								151.00
PC4NUCMANW	WindFree 4-Way Cassette Wifi Fascia Panel - PURE Filter (built-in MIM-H14EN wifi for use with CAC HE models only)								541.00
PC4NUXMANW	WindFree 4-Way Cassette Wifi Fascia Panel - AutoLIFT (built-in MIM-H14EN wifi for use with CAC HE models only)								376.00
MCR-SMC	Motion detect sensor for 4-way wind-free Cassette - for 950x950 panel								69.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)								50.00
AR-EH04E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)								36.00
MIM-H14EN	Wi-Fi Receiver 2.1 for HIGH EFFICIENCY CASSETTE ONLY (not required if Wifi panel is selected)								152.00
MRW-TA	Remote Temperature Sensor								23.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

R32



HIGH EFFICIENCY 4way Mini Cassette - WindFree™

1 PHASE - R32						Max. Fuse	Pipe size Liq. Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description	Cool	Heat	SEER	SCoP				
AC026BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	2.6kW	3.4kW	7.1	4.3	13A	1/4", 3/8"	30m (20m)	798.00
AC026BNNPKG/EU	WindFree 4-Way Cassette (575mm x 575mm)	(1.1-4.4kW)	(0.92-4.9kW)	A++	A+				251.00
PC4SUFMANW	WindFree Mini 4-Way Cassette Wifi Panel								146.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,290.00
AC035BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	7.2	4.3	13A	1/4", 3/8"	30m (20m)	885.00
AC035BNNPKG/EU	WindFree 4-Way Cassette (575mm x 575mm)	(1.1-5.3kW)	(0.94-5.7kW)	A++	A+				293.00
PC4SUFMANW	WindFree Mini 4-Way Cassette Wifi Panel								146.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,419.00
AC052BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	5.5kW	7.0	4.3	20A	1/4", 1/2"	50m (30m)	1,042.00
AC052BNNPKG/EU	WindFree 4-Way Cassette (575mm x 575mm)	(1.3-6.8kW)	(0.96-9.3kW)	A++	A+				345.00
PC4SUFMANW	WindFree Mini 4-Way Cassette Wifi Panel								146.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,628.00

Accessories for WindFree 4way mini Cassette		LIST PRICE £
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
PC4SUFMANW	WindFree Mini 4-Way Cassette Wifi Fascia Panel - 620x620 (built-in MIM-H14EN wifi for use with CAC HE models only)	146.00
MCR-SMD	Motion detect sensor for 4-way wind-free Cassette - for 620x620 panel	69.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
AR-EH04E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)	36.00
MIM-H14EN	Wi-Fi Receiver 2.1 for HIGH EFFICIENCY CASSETTE ONLY (not required if Wifi panel is selected)	152.00
MRW-TA	Remote Temperature Sensor	23.00

R32

HIGH EFFICIENCY Ceiling



1 PHASE - R32						Max.	Pipe size	Max. pipe	
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq, Gas	length (height)	LIST PRICE £
AC052BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	8.0	4.8	20A	1/4", 1/2"	50m (30m)	1,042.00
AC052BNCPKG/EU	Under Ceiling Unit	(1.3-8kW)	(1.3-10kW)	A++	A++				412.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)				95.00				
System Price									1,454.00
AC071BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	7.1	4.4	25A	3/8", 5/8"	55m (30m)	1,336.00
AC071BNCPKG/EU	Under Ceiling Unit	(2.3-9.5kW)	(1.8-10.5kW)	A++	A+				418.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)				95.00				
System Price									1,754.00
3 PHASE - R32						Max.	Pipe size	Max. pipe	
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq, Gas	length (height)	LIST PRICE £
AC071BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	7.1	4.4	20A/ph	3/8", 5/8"	55m (30m)	1,403.00
AC071BNCPKG/EU	Under Ceiling Unit	(2.3-9.5kW)	(1.8-10.5kW)	A++	A+				418.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)				95.00				
System Price									1,821.00

Accessories for Ceiling		LIST PRICE £
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
AR-EH04E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)	36.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00
MRW-TA	Remote Temperature Sensor	23.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

HIGH EFFICIENCY Floor Console

R32



1 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								
AC026BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	2.6kW	3.5kW	6.4	4.2	13A	1/4", 3/8"	30m (20m)	798.00
AC026BNJPKG/EU	Console Floor Standing Unit	(0.78-4.1kW)	(0.8-4.7kW)	A++	A+				324.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,217.00

AC035BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	6.4	4.1	13A	1/4", 3/8"	30m (20m)	885.00
AC035BNJPKG/EU	Console Floor Standing Unit	(0.89-4.9kW)	(1.0-5.3kW)	A++	A+				400.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,380.00

R32

HIGH EFFICIENCY WindFree™ High Wall



1 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								
AC026BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	2.6kW	3.3kW	7.2	4.3	13A	1/4", 3/8"	30m (20m)	798.00
AC026BNAPKG/EU	WindFree High Wall Mounted Unit	(0.98-4.2kW)	(0.91-4.5kW)	A++	A+				256.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,149.00

AC035BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	7.7	4.6	13A	1/4", 3/8"	30m (20m)	885.00
AC035BNAPKG/EU	WindFree High Wall Mounted Unit	(1.5-1.1kW)	(0.93-5.4kW)	A++	A++				268.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,248.00

AC052BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	7.5	4.6	20A	1/4", 1/2"	50m (30m)	1,042.00
AC052BNAPKG/EU	WindFree High Wall Mounted Unit	(1.5-7.3kW)	(1.0-9.4kW)	A++	A++				345.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,482.00

AC071BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	7.0	4.3	25A	3/8", 5/8"	55m (30m)	1,336.00
AC071BNAPKG/EU	WindFree High Wall Mounted Unit	(2.0-9.2kW)	(1.6-10.5kW)	A++	A+				386.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,817.00

3 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								
AC071BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	7.1kW	8.0kW	7.1	4.4	20A/ph	3/8", 5/8"	55m (30m)	1,403.00
AC071BNAPNG/EU	WindFree High Wall Mounted Unit	(2.3-9.5kW)	(1.8-10.5kW)	A++	A+				386.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,884.00

HIGH EFFICIENCY 10kW High Wall

R32

10kW high Wall



1 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								
AC100BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	9.5kW	10.8kW	6.9	4.1	35A	3/8", 5/8"	85m (30m)	1,794.00
AC100BNTPKG/EU	High Wall Mounted Unit	(3.6-12.1kW)	(2.9-16.2kW)	A++	A+				590.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,479.00

3 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								
AC100BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	9.5kW	10.8kW	6.9	4.1	20A/ph	3/8", 5/8"	85m (30m)	1,885.00
AC100BNTPNG/EU	High Wall Mounted Unit	(3.6-12.1kW)	(2.9-16.2kW)	A++	A+				590.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,570.00

Accessories for Console and Wall									LIST PRICE £
----------------------------------	--	--	--	--	--	--	--	--	--------------

MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
AR-EH04E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)	36.00
MIM-H04EN	NEW Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

HIGH EFFICIENCY DUCT S MSP Ducted



17

1 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								

AC035BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	3.5kW	4.0kW	7.0	4.3	15A	1/4", 3/8"	30m (20m)	885.00
AC035BNMPKG/EU	Duct S Ducted Unit	(0.8-5.3kW)	(0.78-5.7kW)	A++	A+				383.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,363.00

AC052BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	5.0kW	6.0kW	7.0	4.6	20A	1/4", 1/2"	50m (30m)	1,042.00
AC052BNMPKG/EU	Duct S Ducted Unit	(1.2-7.5kW)	(1.1-9.5kW)	A++	A++				393.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,530.00

AC071BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	6.8kW	8.0kW	7.3	4.3	25A	3/8", 5/8"	55m (30m)	1,336.00
AC071BNMPKG/EU	Duct S Ducted Unit	(2.4-10kW)	(2.2-13kW)	A++	A+				437.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,868.00

AC100BXAPKG/EU	1ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	7.6	4.4	35A	3/8", 5/8"	85m (30m)	1,794.00
AC100BNMPKG/EU	Duct S Ducted Unit	(4-12.8kW)	(3.1-17.3kW)	A++	A+				550.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,439.00

3 PHASE - R32		Cool	Heat	SEER	SCoP	Max. Fuse	Pipe size Liq, Gas	Max. pipe length (height)	LIST PRICE £
Model Reference	Description								

AC071BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	6.8kW	8.0kW	7.3	4.3	20A/ph	3/8", 5/8"	55m (30m)	1,403.00
AC071BNMPKG/EU	Duct S Ducted Unit	(2.4-10kW)	(2.2-13kW)	A++	A+				437.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									1,935.00

AC100BXAPNG/EU	3ph Inverter Heat Pump R32 Outdoor	10.0kW	11.2kW	7.6	4.4	20A/ph	3/8", 5/8"	85m (30m)	1,885.00
AC100BNMPKG/EU	Duct S Ducted Unit	(4-12.8kW)	(3.1-17.3kW)	A++	A+				550.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,530.00

AC120BXAPNG/EU	3ph Inverter Heat Pump R32	12.1kW	13.2kW	7.4	4.4	20A/ph	3/8", 5/8"	85m (30m)	2,087.00
AC120BNMPKG/EU	Duct S Ducted Unit	(4.1-14kW)	(4.1-16kW)	A++	A+				588.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									2,770.00

AC140BXAPNG/EU	3ph Inverter Heat Pump R32	13.4kW	15.5kW	7.1	4.4	20A/ph	3/8", 5/8"	85m (30m)	2,326.00
AC140BNMPKG/EU	Duct S Ducted Unit	(4.1-16kW)	(3.4-24kW)						656.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)								95.00
System Price									3,077.00

Accessories for Duct S									LIST PRICE £
------------------------	--	--	--	--	--	--	--	--	--------------

MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00
MRK-A10N	DUCT S & Slim Duct Wireless Signal Receiver Kit (requires AR-EH04E)	35.00
AR-EH04E	WindFree & STANDARD Wireless Remote controller HIGH EFFICIENCY CAC	36.00
MRW-TA	Remote Temperature Sensor	23.00
MDP-G075SP	Drain Pump for DUCT S Ducted Unit (External Assembly)	76.00
MDP-G075SQ	Drain Pump for DUCT S Ducted Unit (Internal Assembly)	76.00

COMMERCIAL SPLIT SYSTEM

Air Conditioner

R410A

PAC Floor Cabinet



1 PHASE R410A					Max.	Pipe size	Max. pipe		
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq, Gas	length (height)	LIST PRICE £
AC100BXPDKH/EU	1ph PAC Inverter Heat Pump R410A	10kW	11.2kW	6.1	4.2	30A	3/8", 5/8"	50m (30m)	1,334.00
AC100BNPDKH/EU	PAC Floor Cabinet	(2.6-12.3kW)	(2.8-14kW)	A++	A+				569.00
Control panel incorporated								System Price	1,903.00

3 PHASE R410A						Max.	Pipe size	Max. pipe	
Model Reference	Description	Cool	Heat	SEER	SCoP	Fuse	Liq. Gas	length (height)	LIST PRICE £
AC140BXPDNH/EU	3ph PAC Inverter Heat Pump R410A	13.4kW	15.5kW	5.8	3.4	16A/ph	3/8", 5/8"	75m (30m)	1,745.00
AC140BNPDKH/EU	PAC Floor Cabinet	(4.5-16.7kW)	(3.9-20kW)						645.00
Control panel incorporated								System Price	2,390.00

NOTE: No hard-wire control option for PAC as Control Panel is incorporated

COMMERCIAL SPLIT SYSTEM

Air Conditioner

19

Accessories & Controls



COMMERCIAL SPLIT SYSTEM ACCESSORIES & CONTROLS

Model Reference Description

REMOTE CONTROLS

LIST PRICE £

MWR-WG01JN	LCD COLOUR PREMIUM Wired Controller (NASA)	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)	36.00
AR-EH04E	WindFree & STANDARD Wireless Remote controller HIGH EFFICIENCY CAC	36.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00
MIM-H14EN	Wi-Fi Receiver 2.1 for HIGH EFFICIENCY CASSETTE MODELS ONLY	152.00
MRK-A10N	DUCT S & Slim Duct Wireless Signal Receiver Kit (requires AR-EH03E)	35.00

CENTRAL CONTROLS & INTERFACES

LIST PRICE £

MCM-A300BN	NEW Tablet style Touch Screen Controller NASA (Centralised management of up to 128 indoor units)	959.00
MCM-A202DN	Centralised On/Off Controller NASA (maximum of 16 Group controls (maximum of 256 indoor units))	100.00
MIM-B14	External Contact Interface Module (remote on/off, unit operation/error output)	21.00
MIM-B19N	MODBUS interface Module - 1 required per system	139.00

FASCIA PANELS

LIST PRICE £

PC1NWFMAN	WindFree 1-Way Cassette Fascia Panel - Medium	146.00
PC1NWCMAN	WindFree 1-Way Cassette Fascia Panel - Medium - PURE Filter	452.00
PC4SUFMAN	WindFree Mini 4-Way Cassette Fascia Panel - 620x620	146.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel	151.00
PC4NUCEAN	WindFree 4-Way Cassette Fascia Panel - PURE Filter	541.00
PC4NUXMAN	WindFree 4-Way Cassette Fascia Panel - AutoLIFT	376.00
PC4NBFMANW	WindFree 4-Way Cassette Fascia Panel - BLACK	151.00
PC4NUDMAN	360 Cassette Fascia Panel Square WHITE	151.00
PC4NUNMAN	360 Cassette Fascia Panel Round WHITE	151.00
PC4NBDMAN	360 Cassette Fascia Panel - Square BLACK	151.00
PC4NBNMAN	360 Cassette Fascia Panel - Round BLACK	151.00
PC6EUCMAN	360 Cassette Fascia Panel Round - PURE Filter	480.00
PC6EUXMAN	360 Cassette Fascia Panel Round - AutoLIFT	452.00

NEW FASCIA PANELS - NOTE built-in Wifi function only available with CAC High Efficiency models

LIST PRICE £

PC1NWFMANW	WindFree 1-Way Cassette Fascia Panel - Medium	146.00
PC1NWCMANW	WindFree 1-Way Cassette Fascia Panel - Medium - PURE Filter	452.00
PC4SUFMANW	WindFree Mini 4-Way Cassette Fascia Panel - 620x620	146.00
PC4NUFMANW	WindFree 4-Way Cassette Fascia Panel	151.00
PC4NBFMANW	WindFree 4-Way Cassette Fascia Panel - BLACK	151.00
PC4NUCMANW	WindFree 4-Way Cassette Fascia Panel - PURE Filter	541.00
PC4NUXMANW	WindFree 4-Way Cassette Fascia Panel - AutoLIFT	376.00
PC6NUSMANW	360 Cassette Fascia Panel Square WHITE	151.00
PC6EUSMANW	360 Cassette Fascia Panel Round WHITE	151.00
PC6NBSMANW	360 Cassette Fascia Panel - Square BLACK	151.00
PC6EBSMANW	360 Cassette Fascia Panel - Round BLACK	151.00
PC6EUCMANW	360 Cassette Fascia Panel Round - PURE Filter	480.00
PC6EUXMANW	360 Cassette Fascia Panel Round - AutoLIFT	452.00

ACCESSORIES

LIST PRICE £

MCR-SMC	Motion detect sensor for 4-way Cassette (WindFree) - for 950x950 panel	69.00
MCR-SMD	Motion detect sensor for 4-way Mini Cassette (WindFree) - for 620x620 panel	69.00
MCR-SME	Motion detect sensor for 360 Cassette - for SQUARE panel	69.00
MRW-TA	Remote Temperature Sensor	23.00
MDP-G075SP	Drain Pump for DUCT S Ducted Unit (External Assembly)	76.00
MDP-G075SQ	Drain Pump for DUCT S Ducted Unit (Internal Assembly)	76.00
MDP-Z075SZED	Internal Drain Pump for Slim Ducted Unit - BNL models	81.00





DPM - Twin, Triple & Quad Split Systems

4 Way Mini Cassette **WindFree™**

DPM Systems must only be installed in the same room and with ONE remote controller

DPM - TWIN, TRIPLE & QUAD 4WAY MINI CASSETTE WindFree™ SYSTEMS R32								
Reference	Indoor		Panel		Outdoor	Branch	Remote	LIST PRICE £
4way Mini W/F 7kW Twin	AC035RNNDKG/EU 293.00	x 2	PC4SUFMAN 146.00	x 2	AC071RXADKG/EU 986.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,044.00
4way Mini W/F 10kW Twin	AC052RNNDKG/EU 345.00	x 2	PC4SUFMAN 146.00	x 2	AC100RXADKG/EU 1,334.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,496.00
*3ph option available using AC100RXADNG/EU outdoor with additional cost of 74.00								
4way Mini W/F 10kW Triple	AC035RNNDKG/EU 293.00	x 3	PC4SUFMAN 146.00	x 3	AC100RXADKG/EU 1,334.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 2,854.00
*3ph option available using AC100RXADNG/EU outdoor with additional cost of 74.00								
4way Mini W/F 12kW Triple	AC052RNNDKG/EU 345.00	x 3	PC4SUFMAN 146.00	x 3	AC120RXADKG/EU 1,496.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,172.00
*3ph option available using AC120RXADNG/EU outdoor with additional cost of 62.00								
4way Mini W/F 12kW Quad	AC035RNNDKG/EU 293.00	x 4	PC4SUFMAN 146.00	x 4	AC120RXADKG/EU 1,496.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 3,506.00
*3ph option available using AC120RXADNG/EU outdoor with additional cost of 62.00								
4way Mini W/F 14kW Twin	AC071RNNDKG/EU 431.00	x 2	PC4SUFMAN 146.00	x 2	AC140RXADKG/EU 1,687.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 3,021.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00								
4way Mini W/F 14kW Triple	AC052RNNDKG/EU 345.00	x 3	PC4SUFMAN 146.00	x 3	AC140RXADKG/EU 1,687.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,363.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00								
4way Mini W/F 14kW Quad	AC035RNNDKG/EU 293.00	x 4	PC4SUFMAN 146.00	x 4	AC140RXADKG/EU 1,687.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 3,697.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00								

20 & 25kW R410A DPM

4 Way Mini Cassette **WindFree™**

DPM - TRIPLE & QUAD 4WAY MINI CASSETTE WindFree™ SYSTEMS R410A								LIST PRICE £
4way Mini W/F 20kW Triple	AC071RNNDKG/EU 431.00	x 3	PC4SUFMAN 146.00	x 3	AC200KXAPNH/EU 2,547.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 4,481.00
4way Mini W/F 20kW Quad	AC052RNNDKG/EU 345.00	x 4	PC4SUFMAN 146.00	x 4	AC200KXAPNH/EU 2,547.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 4,765.00
4way Mini W/F 25kW Quad	AC071RNNDKG/EU 431.00	x 4	PC4SUFMAN 146.00	x 4	AC250KXAPNH/EU 2,873.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 5,435.00

HIGH EFFICIENCY - DPM - Twin, Triple & Quad Split Systems

4 Way Mini Cassette **WindFree™**

R32

Longer pipe lengths

HIGH EFFICIENCY DPM - TWIN, TRIPLE & QUAD 4WAY MINI CASSETTE WindFree™ SYSTEMS R32								
Reference	Indoor		Panel		Outdoor	Branch	Remote	LIST PRICE £
4way Mini W/F 7kW Twin	AC035BNNPKG/EU 293.00	x 2	PC4SUFMANW 146.00	x 2	AC071BXAPKG/EU 1,336.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,394.00
*3ph option available using AC071BXAPNG/EU outdoor with additional cost of: 67.00								
4way Mini W/F 10kW Twin	AC052BNNPKG/EU 345.00	x 2	PC4SUFMANW 146.00	x 2	AC100BXAPKG/EU 1,794.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,956.00
*3ph option available using AC100BXAPNG/EU outdoor with additional cost of: 91.00								
4way Mini W/F 10kW Triple	AC035BNNPKG/EU 293.00	x 3	PC4SUFMANW 146.00	x 3	AC100BXAPKG/EU 1,794.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,314.00
*3ph option available using AC100BXAPNG/EU outdoor with additional cost of: 91.00								
4way Mini W/F 12kW Triple	AC052BNNPKG/EU 345.00	x 3	PC4SUFMANW 146.00	x 3	AC120BXAPNG/EU 2,087.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,763.00
*3ph only								
4way Mini W/F 12kW Quad	AC035BNNPKG/EU 293.00	x 4	PC4SUFMANW 146.00	x 4	AC120BXAPNG/EU 2,087.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 4,097.00
*3ph only								
4way Mini W/F 14kW Triple	AC052BNNPKG/EU 345.00	x 3	PC4SUFMANW 146.00	x 3	AC140BXAPNG/EU 2,326.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 4,002.00
*3ph only								
4way Mini W/F 14kW Quad	AC035BNNPKG/EU 293.00	x 4	PC4SUFMANW 146.00	x 4	AC140BXAPNG/EU 2,326.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 4,336.00
*3ph only								


COMMERCIAL MULTI SYSTEM

Air Conditioner

R32

21

DPM - Twin, Triple & Quad Split Systems
4 Way Cassette WindFree™



DPM Systems must only be installed in the same room and with ONE remote controller

DPM - TWIN, TRIPLE & QUAD 4WAY CASSETTE WindFree™ SYSTEMS R32

Reference	Indoor	Panel	Outdoor	Branch	Remote	LIST PRICE £
4way WindFree 10kW Twin	AC052RN4DKG/EU 476.00	x 2 PC4NUFMAN 151.00	x 2 AC100RXADKG/EU 1,334.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,768.00
*3ph option available using AC100RXADNG/EU outdoor with additional cost of 74.00						
4way WindFree 12kW Triple	AC052RN4DKG/EU 476.00	x 3 PC4NUFMAN 151.00	x 3 AC120RXADKG/EU 1,496.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,580.00
*3ph option available using AC120RXADNG/EU outdoor with additional cost of 62.00						
4way WindFree 14kW Twin	AC071RN4DKG/EU 490.00	x 2 PC4NUFMAN 151.00	x 2 AC140RXADKG/EU 1,687.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 3,149.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00						
4way WindFree 14kW Triple	AC052RN4DKG/EU 476.00	x 3 PC4NUFMAN 151.00	x 3 AC140RXADKG/EU 1,687.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,771.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00						

20 & 25kW R410A DPM

4 Way Cassette WindFree™

DPM - TWIN, TRIPLE & QUAD 4WAY CASSETTE WindFree™ SYSTEMS R410A

LIST PRICE £

4way Windfree 20kW Twin	AC100RN4DKG/EU 525.00	x 2 PC4NUFMAN 151.00	x 2 AC200KXAPNH/EU 2,547.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 4,079.00
4way Windfree 20kW Triple	AC071RN4DKG/EU 490.00	x 3 PC4NUFMAN 151.00	x 3 AC200KXAPNH/EU 2,547.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 4,673.00
4way Windfree 20kW Quad	AC052RN4DKG/EU 476.00	x 4 PC4NUFMAN 151.00	x 4 AC200KXAPNH/EU 2,547.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 5,309.00
4way Windfree 25kW Twin	AC120RN4DKG/EU 580.00	x 2 PC4NUFMAN 151.00	x 2 AC250KXAPNH/EU 2,873.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 4,515.00
4way Windfree 25kW Quad	AC071RN4DKG/EU 490.00	x 4 PC4NUFMAN 151.00	x 4 AC250KXAPNH/EU 2,873.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 5,691.00

HIGH EFFICIENCY - DPM - Twin & Triple Split Systems

4 Way Cassette WindFree™

R32

Longer pipe lengths

HIGH EFFICIENCY DPM - TWIN & TRIPLE 4WAY CASSETTE WindFree™ SYSTEMS R32

Reference	Indoor	Panel	Outdoor	Branch	Remote	LIST PRICE £
4way WindFree 10kW Twin	AC052BN4PKG/EU 476.00	x 2 PC4NUFMANW 151.00	x 2 AC100BXAPKG/EU 1,794.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 3,228.00
*3ph option available using AC100BXAPNG/EU outdoor with additional cost of 91.00						
4way WindFree 12kW Triple	AC052BN4PKG/EU 476.00	x 3 PC4NUFMANW 151.00	x 3 AC120BXAPNG/EU 2,087.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 4,171.00
*3ph only						
4way WindFree 14kW Twin	AC071BN4PKG/EU 490.00	x 2 PC4NUFMANW 151.00	x 2 AC140BXAPNG/EU 2,326.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 3,788.00
*3ph only						
4way WindFree 14kW Triple	AC052BN4PKG/EU 476.00	x 3 PC4NUFMANW 151.00	x 3 AC140BXAPNG/EU 2,326.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 4,410.00

COMMERCIAL MULTI SYSTEM

Air Conditioner

R32

DPM - Twin, Triple & Quad Split Systems

360 Cassette



DPM Systems must only be installed in the same room and with ONE remote controller

DPM - TWIN, TRIPLE & QUAD 360 CASSETTE SYSTEMS R32

Reference	Indoor	Panel	Outdoor	Branch	Remote	LIST PRICE £		
360 Cassette 14kW Twin	AC071RN4PKG/EU 665.00	x 2	PC4NUNMAN 151.00	x 2	AC140RXADKG/EU 1,687.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 3,499.00

*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00

20 & 25kW R410A DPM

360 Cassette

DPM - TWIN, TRIPLE & QUAD 360 CASSETTE SYSTEMS R410A

LIST PRICE £

360 Cassette 20kW Twin	AC100RN4PKG/EU 708.00	x 2	PC4NUNMAN 151.00	x 2	AC200KXAPNH/EU 2,547.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 4,445.00
---	--------------------------	-----	---------------------	-----	----------------------------	----------------------	---------------------	--

360 Cassette 20kW Triple	AC071RN4PKG/EU 665.00	x 3	PC4NUNMAN 151.00	x 3	AC200KXAPNH/EU 2,547.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 5,198.00
---	--------------------------	-----	---------------------	-----	----------------------------	-----------------------	---------------------	--

360 Cassette 25kW Twin	AC120RN4PKG/EU 786.00	x 2	PC4NUNMAN 151.00	x 2	AC250KXAPNH/EU 2,873.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 4,927.00
---	--------------------------	-----	---------------------	-----	----------------------------	----------------------	---------------------	--

360 Cassette 25kW Quad	AC071RN4PKG/EU 665.00	x 4	PC4NUNMAN 151.00	x 4	AC250KXAPNH/EU 2,873.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 6,391.00
---	--------------------------	-----	---------------------	-----	----------------------------	-----------------------	---------------------	--

HIGH EFFICIENCY DPM - Twin & Triple Split Systems

360 Cassette

R32

Longer pipe lengths

HIGH EFFICIENCY DPM - TWIN & TRIPLE 360 CASSETTE SYSTEMS R32

Reference	Indoor		Panel		Outdoor	Branch	Remote	LIST PRICE £
360 Cassette	AC052BN6PKG/EU	x 2	PC6NUSMANW	x 2	AC100BXAPKG/EU	MXJ-2D2509K	MWR-WG01JN	System Price
10kW Twin	645.00		151.00		1,794.00	85.00	95.00	3,566.00

*3ph option available using AC100BXAPNG/EU outdoor with additional cost of 91.00

360 Cassette 12kW Triple	AC052BN6PKG/EU 645.00	x 3	PC6NUSMANW 151.00	x 3	AC120BXAPNG/EU 2,087.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 4,678.00
---	--------------------------	-----	----------------------	-----	----------------------------	-----------------------	---------------------	--

*3ph only

360 Cassette 14kW Twin	AC071BN6PKG/EU 665.00	x 2	PC6NUSMANW 151.00	x 2	AC140BXAPNG/EU 2,326.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 4,138.00
---	--------------------------	-----	----------------------	-----	----------------------------	----------------------	---------------------	--

*3ph only


360 Cassette 14kW Triple	AC052BN6PKG/EU 645.00	x 3	PC6NUSMANW 151.00	x 3	AC140BXAPNG/EU 2,326.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 4,917.00
---	--------------------------	-----	----------------------	-----	----------------------------	-----------------------	---------------------	--

*3ph only

COMMERCIAL MULTI SYSTEM

Air Conditioner

R32



DPM - Twin, Triple & Quad Split Systems

DPM Systems must only be installed in the same room and with ONE remote controller

DPM - TWIN, TRIPLE & QUAD SLIM DUCTED SYSTEMS R32							
Reference	Indoor			Outdoor	Branch	Remote	LIST PRICE £
Slim Ducted 7kW Twin	AC035BNLDKG/EU 376.00	x 2		AC071RXADKG/EU 986.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 1,918.00
Slim Ducted 10kW Twin	AC052BNLDKG/EU 402.00	x 2		AC100RXADKG/EU 1,334.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,318.00
*3ph option available using AC100RXADNG/EU outdoor with additional cost of 74.00							
Slim Ducted 10kW Triple	AC035BNLDKG/EU 376.00	x 3		AC100RXADKG/EU 1,334.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 2,665.00
*3ph option available using AC100RXADNG/EU outdoor with additional cost of 74.00							
Slim Ducted 12kW Triple	AC052BNLDKG/EU 402.00	x 3		AC120RXADKG/EU 1,496.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 2,905.00
*3ph option available using AC120RXADNG/EU outdoor with additional cost of 62.00							
Slim Ducted 12kW Quad	AC035BNLDKG/EU 376.00	x 4		AC120RXADKG/EU 1,496.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 3,254.00
*3ph option available using AC120RXADNG/EU outdoor with additional cost of 62.00							
Slim Ducted 14kW Twin	AC071BNLDKG/EU 427.00	x 2		AC140RXADKG/EU 1,687.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,721.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00							
Slim Ducted 14kW Triple	AC052BNLDKG/EU 402.00	x 3		AC140RXADKG/EU 1,687.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,096.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00							
Slim Ducted 14kW Quad	AC035BNLDKG/EU 376.00	x 4		AC140RXADKG/EU 1,687.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 3,445.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00							


20 & 25kW R410A DPM

Slim Ducted

DPM - TWIN, TRIPLE & QUAD SLIM DUCTED SYSTEMS R410A							LIST PRICE £
Slim Ducted 20kW Triple	AC071BNLDKG/EU 427.00	x 3		AC200KXAPNH/EU 2,547.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 4,031.00
Slim Ducted 20kW Quad	AC052BNLDKG/EU 402.00	x 4		AC200KXAPNH/EU 2,547.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 4,409.00
Slim Ducted 25kW Quad	AC071BNLDKG/EU 427.00	x 4		AC250KXAPNH/EU 2,873.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 4,835.00

COMMERCIAL MULTI SYSTEM

R32



DPM - Twin, Triple & Quad Split Systems
1 way **WindFree™** Cassette

DPM Systems must only be installed in the same room and with ONE remote controller

DPM - TWIN, TRIPLE & QUAD 1WAY CASSETTE WindFree™ SYSTEMS R32								
Reference	Indoor		Panel		Outdoor	Branch	Remote	LIST PRICE £
1way Cassette 7kW Twin	AC035RN1DKG/EU 408.00	x 2	PC1NWFMAN 146.00	x 2	AC071RXADKG/EU 986.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,274.00
1way Cassette 10kW Triple	AC035RN1DKG/EU 408.00	x 3	PC1NWFMAN 146.00	x 3	AC100RXADKG/EU 1,334.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,199.00
*3ph option available using AC100RXADNG/EU outdoor with additional cost of 74.00								
1way Cassette 12kW Quad	AC035RN1DKG/EU 408.00	x 4	PC1NWFMAN 146.00	x 4	AC120RXADKG/EU 1,496.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 3,966.00
*3ph option available using AC120RXADNG/EU outdoor with additional cost of 62.00								
1way Cassette 14kW Quad	AC035RN1DKG/EU 408.00	x 4	PC1NWFMAN 146.00	x 4	AC140RXADKG/EU 1,687.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 4,157.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00								


COMMERCIAL MULTI SYSTEM

Air Conditioner

R32

DPM - Twin, Triple & Quad Split Systems

MSP Duct S



DPM Systems must only be installed in the same room and with ONE remote controller

DPM - TWIN, TRIPLE & QUAD DUCT S SYSTEMS R32

Reference	Indoor		Outdoor	Branch	Remote	LIST PRICE £	
MSP Duct S 7kW Twin	AC035RNMDKG/EU 383.00	x 2		AC071RXADKG/EU 986.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 1,932.00
MSP Duct S 10kW Twin	AC052RNMDKG/EU 393.00	x 2		AC100RXADKG/EU 1,334.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,300.00
*3ph option available using AC100RXADNG/EU outdoor with additional cost of 74.00							
MSP Duct S 10kW Triple	AC035RNMDKG/EU 383.00	x 3		AC100RXADKG/EU 1,334.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 2,686.00
*3ph option available using AC100RXADNG/EU outdoor with additional cost of 74.00							
MSP Duct S 12kW Triple	AC052RNMDKG/EU 393.00	x 3		AC120RXADKG/EU 1,496.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 2,878.00
*3ph option available using AC120RXADNG/EU outdoor with additional cost of 62.00							
MSP Duct S 12kW Quad	AC035RNMDKG/EU 383.00	x 4		AC120RXADKG/EU 1,496.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 3,282.00
*3ph option available using AC120RXADNG/EU outdoor with additional cost of 62.00							
MSP Duct S 14kW Twin	AC071RNMDKG/EU 437.00	x 2		AC140RXADKG/EU 1,687.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,741.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00							
MSP Duct S 14kW Triple	AC052RNMDKG/EU 393.00	x 3		AC140RXADKG/EU 1,687.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,069.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00							
MSP Duct S 14kW Quad	AC035RNMDKG/EU 383.00	x 4		AC140RXADKG/EU 1,687.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 3,473.00
*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00							

20 & 25kW R410A DPM

MSP Duct S

DPM - TWIN, TRIPLE & QUAD DUCT S SYSTEMS R410A

List Price							
MSP Duct S 20kW Twin	AC100RNMDKG/EU 550.00	x 2		AC200KXAPNH/EU 2,547.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 3,827.00
MSP Duct S 20kW Triple	AC071RNMDKG/EU 437.00	x 3		AC200KXAPNH/EU 2,547.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 4,061.00
MSP Duct S 20kW Quad	AC052RNMDKG/EU 393.00	x 4		AC200KXAPNH/EU 2,547.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 4,373.00
MSP Duct S 25kW Twin	AC120RNMDKG/EU 588.00	x 2		AC250KXAPNH/EU 2,873.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 4,229.00
MSP Duct S 25kW Quad	AC071RNMDKG/EU 437.00	x 4		AC250KXAPNH/EU 2,873.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 4,875.00

HIGH EFFICIENCY DPM - Twin, Triple & Quad Split Systems

MSP Duct S

R32

Longer pipe lengths

HIGH EFFICIENCY DPM - TWIN, TRIPLE & QUAD DUCT S SYSTEMS R32

Reference	Indoor		Outdoor	Branch	Remote	LIST PRICE £
MSP Duct S 7kW Twin	AC035BNMPKG/EU 383.00	x 2	AC071BXAPKG/EU 1,336.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,282.00
*3ph option available using AC071BXAPNG/EU outdoor with additional cost of : 67.00						
MSP Duct S 10kW Twin	AC052BNMPKG/EU 393.00	x 2	AC100BXAPKG/EU 1,794.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 2,760.00
*3ph option available using AC100BXAPNG/EU outdoor with additional cost of : 91.00						
MSP Duct S 10kW Triple	AC035BNMPKG/EU 383.00	x 3	AC100BXAPKG/EU 1,794.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,146.00
*3ph option available using AC100BXAPNG/EU outdoor with additional cost of : 91.00						
MSP Duct S 12kW Triple	AC052BNMPKG/EU 393.00	x 3	AC120BXAPNG/EU 2,087.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,469.00
*3ph only						
MSP Duct S 12kW Quad	AC035BNMPKG/EU 383.00	x 4	AC120BXAPNG/EU 2,087.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 3,873.00
*3ph only						
MSP Duct S 14kW Twin	AC071BNMPKG/EU 437.00	x 2	AC140BXAPNG/EU 2,326.00	MXJ-2D2509K 85.00	MWR-WG01JN 95.00	System Price 3,380.00
*3ph only						
MSP Duct S 14kW Triple	AC052BNMPKG/EU 393.00	x 3	AC140BXAPNG/EU 2,326.00	MXJ-3D2509K 108.00	MWR-WG01JN 95.00	System Price 3,708.00
*3ph only						
MSP Duct S 14kW Quad	AC035BNMPKG/EU 383.00	x 4	AC140BXAPNG/EU 2,326.00	MXJ-4D2509K 159.00	MWR-WG01JN 95.00	System Price 4,112.00

The diagram illustrates a Samsung Multi V air conditioning system. On the left, there is a small digital display showing temperature and mode settings. To its right, three white indoor ceiling-mounted units are shown. A blue line representing the refrigerant piping connects these indoor units to a single outdoor condenser unit on the right. The outdoor unit is a large, grey, vertical cabinet with two large fans and the Samsung logo. The entire system is labeled 'SAMSUNG' and 'Multi V'.

DPM Systems must only be installed in the same room and with ONE remote controller

Wall **WindFree**™

Large Wall


Wall **WindFree**™

Longer pipe lengths

*3ph only

**COMMERCIAL
MULTI SYSTEM**
Air Conditioner

Air Conditioner



DPM Systems must only be installed in the same room and with ONE remote controller

DPM - TWIN, TRIPLE & QUAD CEILING SYSTEMS R32

Reference	Indoor	Outdoor	Branch	Remote	LIST PRICE £
-----------	--------	---------	--------	--------	--------------

Ceiling	AC052RNC DKG/EU	x 2	AC100RXADKG/EU	MXJ-2D2509K	MWR-WG01JN	System Price
10kW Twin	412.00		1,334.00	85.00	95.00	2,338.00

*3ph option available using AC100RXADNG/EU outdoor with additional cost of 74.00

Ceiling	AC052RNC DKG/EU	x 3	AC120RXADKG/EU	MXJ-3D2509K	MWR-WG01JN	System Price
12kW Triple	412.00		1,496.00	108.00	95.00	2,935.00

*3ph option available using AC120RXADNG/EU outdoor with additional cost of 62.00

Ceiling	AC071RNCDKG/EU	x 2	AC140RXADKG/EU	MXJ-2D2509K	MWR-WG01JN	System Price
14kW Twin	418.00		1,687.00	85.00	95.00	2,703.00

*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00

Ceiling	AC052RNCDBG/EU	x 3	AC140RXADKG/EU	MXJ-3D2509K	MWR-WG01JN	System Price
14kW Triple	412.00		1,687.00	108.00	95.00	3,126.00

*3ph option available using AC140RXADNG/EU outdoor with additional cost of 58.00

R410A Ceiling

DPM - TWIN, TRIPLE & QUAD CEILING SYSTEMS R410A

DPM - TWIN, TRIPLE & QUAD CEILING SYSTEMS R410A		LIST PRICE £
1	1000mm x 600mm x 15mm	1.50
2	1000mm x 600mm x 25mm	1.50
3	1000mm x 600mm x 35mm	1.50
4	1000mm x 600mm x 45mm	1.50
5	1000mm x 600mm x 55mm	1.50
6	1000mm x 600mm x 65mm	1.50
7	1000mm x 600mm x 75mm	1.50
8	1000mm x 600mm x 85mm	1.50
9	1000mm x 600mm x 95mm	1.50
10	1000mm x 600mm x 105mm	1.50
11	1000mm x 600mm x 115mm	1.50
12	1000mm x 600mm x 125mm	1.50
13	1000mm x 600mm x 135mm	1.50
14	1000mm x 600mm x 145mm	1.50
15	1000mm x 600mm x 155mm	1.50
16	1000mm x 600mm x 165mm	1.50
17	1000mm x 600mm x 175mm	1.50
18	1000mm x 600mm x 185mm	1.50
19	1000mm x 600mm x 195mm	1.50
20	1000mm x 600mm x 205mm	1.50
21	1000mm x 600mm x 215mm	1.50
22	1000mm x 600mm x 225mm	1.50
23	1000mm x 600mm x 235mm	1.50
24	1000mm x 600mm x 245mm	1.50
25	1000mm x 600mm x 255mm	1.50
26	1000mm x 600mm x 265mm	1.50
27	1000mm x 600mm x 275mm	1.50
28	1000mm x 600mm x 285mm	1.50
29	1000mm x 600mm x 295mm	1.50
30	1000mm x 600mm x 305mm	1.50
31	1000mm x 600mm x 315mm	1.50
32	1000mm x 600mm x 325mm	1.50
33	1000mm x 600mm x 335mm	1.50
34	1000mm x 600mm x 345mm	1.50
35	1000mm x	

Ceiling	AC100RNCDKG/EU	x 2	AC200KXAPNH/EU	MXJ-2D2509K	MWR-WG01JN	System Price
20kW Twin	940 00		2 547 00	85 00	95 00	4 607 00

Ceiling	AC071RNCDKG/EU	x 3	AC200KXAPHN/EU	MXJ-3D2509K	MWR-WG01JN	System Price
20kW Triple	418.00		2.547.00	108.00	95.00	4.004.00

Ceiling	AC052RNC DKG/EU	x 4	AC200KXAPNH/EU	MXJ-4D2509K	MWR-WG01JN	System Price
20kW Quad	412.00		2,547.00	159.00	95.00	4,449.00

Ceiling	AC120RNCDEK/EU	x 2	AC250KXAPHN/EU	MXJ-2D2509K	MWR-WG01JN	System Price
25kW Twin	1,035.00		2,873.00	85.00	95.00	5,123.00

Ceiling	AC071RNCDBG/EU	x 4	AC250KXAPHN/EU	MXJ-4D2509K	MWR-WG01JN	System Price
25kW Quad	418.00		2,873.00	159.00	95.00	4,799.00

HIGH EFFICIENCY DPM – Twin & Triple Split Systems

Ceiling

R32

Longer pipe lengths

HIGH EFFICIENCY DPM - TWIN & TRIPLE CEILING SYSTEMS R32

Reference	Indoor	Outdoor	Branch	Remote	LIST PRICE £
-----------	--------	---------	--------	--------	--------------

Ceiling	AC052BNCPKG/EU	x 2	AC100BXAPKG/EU	MXJ-2D2509K	MWR-WG01JN	System Price
10kW Twin	412.00		1,794.00	85.00	95.00	2,798.00

*3ph option available using AC100BXAPNG/EU outdoor with additional cost of: 91.00

Ceiling	AC052BNCPKG/EU	x 3	AC120BXAPNG/EU	MXJ-3D2509K	MWR-WG01JN	System Price
12kW Triple	412.00		2,087.00	108.00	95.00	3,526.00

*3ph only

Ceiling	AC071BNCPKG/EU	x 2	AC140BXAPNG/EU	MXJ-2D2509K	MWR-WG01JN	System Price
14kW Twin	418.00		2,326.00	85.00	95.00	3,342.00

*3ph only

Ceiling	AC052BNCPKG/EU	x 3	AC140BXAPNG/EU	MXJ-3D2509K	MWR-WG01JN	System Price
14kW Triple	412.00		2,326.00	108.00	95.00	3,765.00

*3ph only

COMMERCIAL MULTI SYSTEM

Air Conditioner




DPM - Twin, Triple & Quad Split Systems



DPM Limitations

	R32 STANDARD		HIGH EFFICIENCY R32		R410A
	7,10 & 12kW OU	14kW OU	7kW OU	10, 12 & 14kW OU	20 & 25kW OU
Total Pipe length (all lengths combined)	50m	75m	55m	85m	75m
Max. Main pipe length (L ₁)	30m	50m	35m	55m	75m
Max. Leg length after branch pipe			15m		
Max. difference between leg length (e.g. L ₂ -L ₃)			5m		
Max. distance between Indoor units (D)			10m		
Max. height between Indoors & outdoor (h ₁)			30m		
Max. height difference between Indoors (h ₂)			0.5m		

* Indoor units should be installed in one area which is not divided by a wall & controlled via 1 remote



Accessories

DPM ACCESSORIES		LIST PRICE £
Model Reference	Description	
MXJ-2D2509K	2-Way Branch Pipe Kit for DPM TWIN systems	85.00
MXJ-3D2509K	3-Way Branch Pipe Kit for DPM TRIPLE systems	108.00
MXJ-4D2509K	4-Way Branch Pipe Kit for DPM QUAD systems	159.00
MWR-WG01JN	LCD COLOUR Wired Controller (NASA)	95.00
MCM-A300BN	NEW Tablet style Touch Screen Controller (Centralised management of up to 128 indoor units)	959.00
MIM-B14	External Contact Interface Module (remote on/off, unit operation/error output)	21.00
MIM-B19N	MODBUS interface Module - 1 required per system	139.00
PC1NWFMAN	WindFree 1-Way Cassette Fascia Panel - Medium	146.00
PC1NWCMAN	WindFree 1-Way Cassette Fascia Panel - Medium - PURE Filter	452.00
PC4SUFMAN	WindFree Mini 4-Way Cassette Fascia Panel - 620x620	146.00
PC4NUFMAN	WindFree 4-Way Cassette Fascia Panel	151.00
PC4NBFMANW	WindFree 4-Way Cassette Fascia Panel - BLACK	151.00
PC4NUCEAN	WindFree 4-Way Cassette Fascia Panel - PURE Filter	541.00
PC4NUXMAN	WindFree 4-Way Cassette Fascia Panel - AutoLIFT	376.00
PC4NUDMAN	360 Cassette Fascia Panel Square	151.00
PC4NUNMAN	360 Cassette Fascia Panel Round	151.00
PC4NBDMAN	360 Cassette Fascia Panel - Square BLACK	151.00
PC4NBNMAN	360 Cassette Fascia Panel - Round BLACK	151.00
PC6EUCMAN	360 Cassette Fascia Panel Round - PURE Filter	480.00
PC6EUXMAN	360 Cassette Fascia Panel Round - AutoLIFT	452.00
MDP-G075SP	Drain Pump for DUCT S Ducted Unit (External Assembly)	76.00
MDP-G075SQ	Drain Pump for DUCT S Ducted Unit (Internal Assembly)	76.00
MDP-Z075SZED	Drain Pump for Slim Ducted Unit (AC***BNL) models	81.00
MDP-E075SEE3D	Drain Pump for Slim Ducted Unit - 2.6 & 3.5kW models (use MDP-G075SP for other Slim Ducted models)	81.00

Free Joint Multi

R32



FJM - Outdoor Units

OUTDOOR UNITS ~ 1 PHASE R32				Max.	Total	Description	LIST PRICE £	
Model Reference	Type	Cool	Heat	Fuse	Pipe length			
(*max. pipe length per leg)								
AJ040TXJ2KG/EU	2 Port	4.0kW	4.4kW	10A	30m (*20m)		Inverter Heat Pump R32 1 Phase	864.00
AJ050TXJ2KG/EU	2 Port	5.0kW	5.7kW	13A	30m (*20m)		Inverter Heat Pump R32 1 Phase	949.00
AJ052TXJ3KG/EU	3 Port	5.2kW	6.3kW	13A	50m (*25m)		Inverter Heat Pump R32 1 Phase	1,343.00
AJ068TXJ3KG/EU	3 Port	6.8kW	8.0kW	20A	50m (*25m)		Inverter Heat Pump R32 1 Phase	1,434.00
AJ080TXJ4KG/EU	4 Port	8.0kW	9.3kW	20A	70m (*25m)		Inverter Heat Pump R32 1 Phase	1,678.00
AJ100TXJ5KG/EU	5 Port	10.0kW	12.0kW	25A	75m (*25m)		Inverter Heat Pump R32 1 Phase	2,060.00

NB: The R32 Console unit may not adhere to BSEN378 regulations when applied to outdoor units >6kW - please contact Samsung for more information

FJM - Indoor Units

MULTI WALL UNITS				Pipe size	Description	LIST PRICE £
Model Reference	Cool	Heat		Liq. Gas		

CEBU S2 - Wi-Fi & Easy Filter Plus



AR50F07C1AHNEU		2.0kW	2.2kW	1/4", 3/8"	Cebu S2 High Wall Mounted Unit	219.00
AR50F09C1AHNEU		2.5kW	3.2kW	1/4", 3/8"	Cebu S2 High Wall Mounted Unit	237.00
AR50F12C1AHNEU		3.5kW	4.0kW	1/4", 3/8"	Cebu S2 High Wall Mounted Unit	262.00
AR50F18C1AHNEU		5.0kW	6.0kW	1/4", 1/2"	Cebu S2 High Wall Mounted Unit	405.00
AR50F24C1AHNEU		6.5kW	7.4kW	1/4", 5/8"	Cebu S2 High Wall Mounted Unit	534.00

COMFORT S2 WindFree™ Wi-Fi & Easy Filter Plus



AR60F07C1AWNEU		2.0kW	2.2kW	1/4", 3/8"	Comfort S2 WindFree High Wall Mounted Unit	285.00
AR60F09C1AWNEU		2.5kW	3.2kW	1/4", 3/8"	Comfort S2 WindFree High Wall Mounted Unit	311.00
AR60F12C1AWNEU		3.5kW	4.0kW	1/4", 3/8"	Comfort S2 WindFree High Wall Mounted Unit	336.00
AR60F18C1AWNEU		5.0kW	6.0kW	1/4", 1/2"	Comfort S2 WindFree High Wall Mounted Unit	472.00
AR60F24C1AWNEU		6.5kW	7.4kW	1/4", 5/8"	Comfort S2 WindFree High Wall Mounted Unit	617.00

AVANT S2 WindFree™ Wi-Fi & Tri-Care Filter



AR70F07C1AWNEU		2.0kW	2.2kW	1/4", 3/8"	Avant S2 WindFree High Wall Mounted Unit	328.00
AR70F09C1AWNEU		2.5kW	3.2kW	1/4", 3/8"	Avant S2 WindFree High Wall Mounted Unit	360.00
AR70F12C1AWNEU		3.5kW	4.0kW	1/4", 3/8"	Avant S2 WindFree High Wall Mounted Unit	394.00
AR70F18C1AWNEU		5.0kW	6.0kW	1/4", 1/2"	Avant S2 WindFree High Wall Mounted Unit	543.00
AR70F24C1AWNEU		6.5kW	7.4kW	1/4", 5/8"	Avant S2 WindFree High Wall Mounted Unit	720.00

AVANT Black WindFree™ Wi-Fi & Tri-Care Filter



AR70F07C1ABNEU		2.0kW	2.2kW	1/4", 3/8"	Avant Black WindFree High Wall Mounted Unit	341.00
AR70F09C1ABNEU		2.5kW	3.2kW	1/4", 3/8"	Avant Black WindFree High Wall Mounted Unit	374.00
AR70F12C1ABNEU		3.5kW	4.0kW	1/4", 3/8"	Avant Black WindFree High Wall Mounted Unit	410.00

ELITE S2 WindFree™ Wi-Fi, Tri-Care Filter & Motion Detection Sensor



AR70F07CAWNEU		2.0kW	2.2kW	1/4", 3/8"	Elite S2 WindFree High Wall Mounted Unit	364.00
AR70F09CAWNEU		2.5kW	3.2kW	1/4", 3/8"	Elite S2 WindFree High Wall Mounted Unit	419.00
AR70F12CAWNEU		3.5kW	4.0kW	1/4", 3/8"	Elite S2 WindFree High Wall Mounted Unit	457.00

PLEASE NOTE: Please see the allowed combination table in FJM TDB, for compatibility confirmation between outdoor/indoor models
Previous FJM version indoor/outdoor units are NOT compatible with NASA protocol models listed on this page

*Above Wall Mounted indoor units require MIM-A00N interface for connection to wired controller

Free Joint Multi

Mini Multi Split Systems



FJM - Indoor Units

MULTI CONSOLE FLOOR, DUCTED & CASSETTE UNITS				Pipe size	Description	LIST PRICE £
Model Reference	Cool	Heat		Liq. Gas		

Floor



AJ026TNJDKG/EU		2.6kW	2.9kW		1/4", 3/8"	Console Floor Standing Unit	370.00
AJ035TNJDKG/EU		3.5kW	3.8kW		1/4", 3/8"	Console Floor Standing Unit	414.00
AJ052TNJDKG/EU		5.2kW	5.6kW		1/4", 1/2"	Console Floor Standing Unit	483.00

NB: The R32 Console unit may not adhere to BSEN378 regulations when applied to outdoor units >6kW - please contact Samsung for more information

Ducted



AJ026TNLPEG/EU		2.6kW	2.9kW		1/4", 3/8"	Slimline Ducted Unit - With PUMP	452.00
AJ035TNLPEG/EU		3.5kW	3.8kW		1/4", 3/8"	Slimline Ducted Unit - With PUMP	485.00
AJ052BNMDEG/EU		5.2kW	6.0kW		1/4", 1/2"	MSP Ducted Unit	528.00

WindFree™ 4way Mini cassette



AJ016TNNDKG/EU		1.6kW	1.8kW		1/4", 3/8"	WindFree 4-Way Mini Cassette	344.00
AJ020TNNDKG/EU		2.0kW	2.2kW		1/4", 3/8"	WindFree 4-Way Mini Cassette	363.00
AJ026TNNDKG/EU		2.5kW	3.2kW		1/4", 3/8"	WindFree 4-Way Mini Cassette	382.00
AJ035TNNDKG/EU		3.5kW	3.8kW		1/4", 3/8"	WindFree 4-Way Mini Cassette	417.00
AJ052TNNDKG/EU		5.2kW	5.6kW		1/4", 1/2"	WindFree 4-Way Mini Cassette	470.00
PC4SUFMAN						WindFree Mini 4-Way Cassette Fascia Panel	146.00

WindFree™ 1way cassette



AJ026TN1DKG/EU		2.6kW	2.9kW		1/4", 3/8"	WindFree 1-Way Cassette	338.00
AJ035TN1DKG/EU		3.5kW	3.8kW		1/4", 3/8"	WindFree 1-Way Cassette	412.00
PC1NWFMAN						WindFree 1-Way Cassette Fascia Panel	146.00

PLEASE NOTE: Please see the allowed combination table in FJM TDB, for compatibility confirmation between outdoor/indoor models
Previous FJM version indoor/outdoor units are NOT compatible with NASA protocol models listed on this page

FJM - Accessories

FJM ACCESSORIES		Description	LIST PRICE £
Model Reference			
MWR-WG01JN		LCD COLOUR PREMIUM Wired Controller (NASA)	95.00
MWR-SH11N		Simplified Wired Remote Controller	92.00
AR-CH01E		360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
MIM-H04EN		Wi-Fi Receiver 2.0 FJM/CAC/DVM NASA	139.00
MIM-B14		External Contact Interface Module (remote on/off, unit operation/error output)	21.00
MIM-A00N		Interface to connect NASA wired remote controller to RAC High Wall (Check suitability)	24.00
MRK-A10N		DUCT S & Slim Duct Wireless Signal Receiver Kit (requires AR-EH03E)	35.00
MRW-TA		Remote Temperature Sensor	23.00
MCM-A300BN		Tablet style Touch Screen Controller NASA (Centralised management of up to 128 indoor units)	959.00
MDP-Z075SZED		Drain Pump for MSP Ducted Unit (BNM Model)	81.00

* FJM Wall Mounted indoor units require MIM-A00N interface for connection to wired controller

DVM S ECO

Digital Variable Multi



R410A DVM - Mini VRF

DVM S ECO HEAT PUMP OUTDOOR UNITS ~ 1 PHASE

Model Reference	Type	HP	Cool	Heat*	SEER	SCoP	Description	LIST PRICE £
-----------------	------	----	------	-------	------	------	-------------	--------------

SINGLE FAN

AM040BXMDEH/EU	2-Pipe	4	12.1kW	12.5kW	7.60	4.20	DVM S Mini Inverter Heat Pump R410A 1 Phase	2,612.00
AM050BXMDEH/EU	2-Pipe	5	14.0kW	16.0kW	7.35	4.40	DVM S Mini Inverter Heat Pump R410A 1 Phase	2,949.00

*Maximum Heating capacity - a rated heating capacity is detailed in relevant catalogue and Technical Data Book.



R410A DVM - Mini VRF - Heat Pump / Heat Recovery

3pipe Mini VRF

DVM S ECO HEAT PUMP/HEAT RECOVERY OUTDOOR UNITS ~ 1 PHASE

Model Reference	Type	HP	Cool	Heat*	SEER	SCoP	Description	LIST PRICE £
-----------------	------	----	------	-------	------	------	-------------	--------------

2pipe/3pipe

AM040BXMDER/EU	2 / 3 Pipe	4	12.1kW	13.5kW	7.90	4.65	DVM S Mini Inverter HP/HR R410A 1 Phase	2,883.00
AM050BXMDER/EU	2 / 3 Pipe	5	14.0kW	16.0kW	7.40	4.65	DVM S Mini Inverter HP/HR R410A 1 Phase	3,255.00
AM060BXMDER/EU	2 / 3 Pipe	6	15.5kW	18.0kW	7.75	4.90	DVM S Mini Inverter HP/HR R410A 1 Phase	3,627.00

DVM S ECO HEAT PUMP/HEAT RECOVERY OUTDOOR UNITS ~ 3 PHASE

2pipe/3pipe

AM040BXM DGR/EU	2 / 3 Pipe	4	12.1kW	13.5kW	7.90	4.65	DVM S Mini Inverter HP/HR R410A 3 Phase	3,068.00
AM050BXM DGR/EU	2 / 3 Pipe	5	14.0kW	16.0kW	7.40	4.65	DVM S Mini Inverter HP/HR R410A 3 Phase	3,532.00
AM060BXM DGR/EU	2 / 3 Pipe	6	15.5kW	18.0kW	7.75	4.90	DVM S Mini Inverter HP/HR R410A 3 Phase	3,996.00

*Maximum Heating capacity - a rated heating capacity is detailed in relevant catalogue and Technical Data Book.

#3pipe HR function via MCU boxes - At least 1 x Master MCU HR required per system



R410A DVM - Mini VRF Large Capacity

DVM S ECO HEAT PUMP OUTDOOR UNITS ~ 3 PHASE

Model Reference	Type	HP	Cool	Heat*	SEER	SCoP	Description	LIST PRICE £
-----------------	------	----	------	-------	------	------	-------------	--------------

AM080BXMWGH/EU	2-Pipe	8	22.4kW	25.0kW	6.30	4.25	DVM S Mini Inverter Heat Pump R410A 3 Phase	5,018.00
AM100BXMWGH/EU	2-Pipe	10	28.0kW	31.5kW	6.40	4.15	DVM S Mini Inverter Heat Pump R410A 3 Phase	5,513.00
AM120BXMWGH/EU	2-Pipe	12	33.6kW	37.5kW	6.50	4.50	DVM S Mini Inverter Heat Pump R410A 3 Phase	6,504.00

*Maximum Heating capacity - a rated heating capacity is detailed in relevant catalogue and Technical Data Book.

DVM S WATER

Digital Variable Multi



R410A DVM - Water Cooled VRF - Heat Pump / Heat Recovery

DVM S WATER CONDENSING UNITS HP & HR ~ 3 PHASE

Model Reference	Type	HP	Cool	Heat*	EER	CoP	Description	LIST PRICE £
-----------------	------	----	------	-------	-----	-----	-------------	--------------

2pipe/3pipe

AM080MXWANR/EU	2 / 3 Pipe	8	22.4kW	25.2kW	6.10	6.35	DVM S Water Inverter HP/HR R410A 3 Phase	6,588.00
AM100MXWANR/EU	2 / 3 Pipe	10	28.0kW	31.5kW	5.75	6.25	DVM S Water Inverter HP/HR R410A 3 Phase	7,745.00
AM120MXWANR/EU	2 / 3 Pipe	12	33.6kW	37.8kW	5.60	6.05	DVM S Water Inverter HP/HR R410A 3 Phase	9,258.00
AM200MXWANR/EU	2 / 3 Pipe	20	56.0kW	63.0kW	5.20	5.80	DVM S Water Inverter HP/HR R410A 3 Phase	14,065.00
AM300KXWANR/EU	2 / 3 Pipe	30	84.0kW	94.5kW	5.00	5.60	DVM S Water Inverter HP/HR R410A 3 Phase	20,439.00

NB: Not for outdoor installation

*Maximum Heating capacity - a rated heating capacity is detailed in relevant catalogue and Technical Data Book.

#3pipe HR function via MCU boxes

R410A DVMS2 - 3pipe Heat Recovery

HIGH EFFICIENCY HR MODEL

DVMS2 HE HEAT RECOVERY OUTDOOR UNITS ~ 3 PHASE

Model Reference	Type	HP	Cool	Heat*	SEER	SCoP	Description	LIST PRICE £
AM080AXVGGR/EU	3-Pipe	8	22.4kW	25.2kW	7.78	4.53	DVMS2 High Efficiency Heat Recovery Inverter R410A	6,323.00
AM100AXVGGR/EU	3-Pipe	10	28.0kW	31.5kW	7.22	4.39	DVMS2 High Efficiency Heat Recovery Inverter R410A	7,091.00
AM120AXVGGR/EU	3-Pipe	12	33.6kW	37.8kW	7.22	4.41	DVMS2 High Efficiency Heat Recovery Inverter R410A	8,529.00
AM140AXVGGR/EU	3-Pipe	14	40.0kW	45.0kW	6.94	4.35	DVMS2 High Efficiency Heat Recovery Inverter R410A	9,868.00
AM160AXVGGR/EU	3-Pipe	16	45.0kW	50.4kW	7.25	4.35	DVMS2 High Efficiency Heat Recovery Inverter R410A	11,687.00
AM180AXVGGR/EU	3-Pipe	18	50.4kW	56.7kW	7.05	4.45	DVMS2 High Efficiency Heat Recovery Inverter R410A	12,932.00
AM200AXVGGR/EU	3-Pipe	20	56.0kW	63.0kW	6.81	4.27	DVMS2 High Efficiency Heat Recovery Inverter R410A	14,177.00
AM220AXVGGR/EU	3-Pipe	22	61.6kW	69.3kW	7.04	4.39	DVMS2 High Efficiency Heat Recovery Inverter R410A	15,615.00
AM240AXVGGR/EU	3-Pipe	24	67.2kW	75.6kW	5.94	3.90	DVMS2 High Efficiency Heat Recovery Inverter R410A	17,085.00
AM260AXVGGR/EU	3-Pipe	26	72.8kW	81.9kW	5.45	3.90	DVMS2 High Efficiency Heat Recovery Inverter R410A	18,131.00

*Maximum Heating capacity - a rated heating capacity is detailed in relevant catalogue and Technical Data Book.

#3pipe HR function via MCU boxes



R410A DVMS2 - 2pipe Heat Pump

HIGH EFFICIENCY HP MODEL

DVMS2 HE HEAT PUMP OUTDOOR UNITS ~ 3 PHASE

Model Reference	Type	HP	Cool	Heat*	SEER	SCoP	Description	LIST PRICE £
AM080AXVGGH/EU	2-Pipe	8	22.4kW	25.2kW	7.78	4.53	DVMS2 High Efficiency Heat Pump Inverter R410A	5,674.00
AM100AXVGGH/EU	2-Pipe	10	28.0kW	31.5kW	7.22	4.39	DVMS2 High Efficiency Heat Pump Inverter R410A	6,197.00
AM120AXVGGH/EU	2-Pipe	12	33.6kW	37.8kW	7.22	4.41	DVMS2 High Efficiency Heat Pump Inverter R410A	7,534.00
AM140AXVGGH/EU	2-Pipe	14	40.0kW	45.0kW	6.94	4.35	DVMS2 High Efficiency Heat Pump Inverter R410A	9,004.00
AM160AXVGGH/EU	2-Pipe	16	45.0kW	50.4kW	7.25	4.35	DVMS2 High Efficiency Heat Pump Inverter R410A	10,633.00
AM180AXVGGH/EU	2-Pipe	18	50.4kW	56.7kW	7.05	4.45	DVMS2 High Efficiency Heat Pump Inverter R410A	11,495.00
AM200AXVGGH/EU	2-Pipe	20	56.0kW	63.0kW	6.81	4.27	DVMS2 High Efficiency Heat Pump Inverter R410A	13,079.00
AM220AXVGGH/EU	2-Pipe	22	61.6kW	69.3kW	7.04	4.39	DVMS2 High Efficiency Heat Pump Inverter R410A	14,552.00
AM240AXVGGH/EU	2-Pipe	24	67.2kW	75.6kW	5.94	3.90	DVMS2 High Efficiency Heat Pump Inverter R410A	15,358.00
AM260AXVGGH/EU	2-Pipe	26	72.8kW	81.9kW	5.45	3.90	DVMS2 High Efficiency Heat Pump Inverter R410A	16,300.00

*Maximum Heating capacity - a rated heating capacity is detailed in relevant catalogue and Technical Data Book.



R410A DVM - 2pipe Heat Pump

STANDARD HP MODEL

DVMS2 STD HEAT PUMP OUTDOOR UNITS ~ 3 PHASE

Model Reference	Type	HP	Cool	Heat*	SEER	SCoP	Description	LIST PRICE £
AM080AXVAGH/EU	2-Pipe	8	22.4kW	25.2kW	7.58	4.06	DVMS2 Standard Efficiency Heat Pump Inverter R410A	5,255.00
AM100AXVAGH/EU	2-Pipe	10	28.0kW	31.5kW	6.93	4.23	DVMS2 Standard Efficiency Heat Pump Inverter R410A	5,738.00
AM120AXVAGH/EU	2-Pipe	12	33.6kW	37.8kW	7.00	4.28	DVMS2 Standard Efficiency Heat Pump Inverter R410A	6,977.00
AM140AXVAGH/EU	2-Pipe	14	40.0kW	45.0kW	6.69	4.17	DVMS2 Standard Efficiency Heat Pump Inverter R410A	8,097.00
AM160AXVAGH/EU	2-Pipe	16	45.0kW	50.4kW	6.84	4.22	DVMS2 Standard Efficiency Heat Pump Inverter R410A	9,558.00
AM180AXVAGH/EU	2-Pipe	18	50.4kW	56.7kW	6.38	4.16	DVMS2 Standard Efficiency Heat Pump Inverter R410A	10,333.00
AM200AXVAGH/EU	2-Pipe	20	56.0kW	63.0kW	6.61	4.14	DVMS2 Standard Efficiency Heat Pump Inverter R410A	11,757.00
AM220AXVAGH/EU	2-Pipe	22	61.6kW	69.3kW	6.83	4.26	DVMS2 Standard Efficiency Heat Pump Inverter R410A	13,081.00
AM240AXVAGH/EU	2-Pipe	24	67.2kW	75.6kW	5.76	3.70	DVMS2 Standard Efficiency Heat Pump Inverter R410A	14,478.00
AM260AXVAGH/EU	2-Pipe	26	72.8kW	81.9kW	5.29	3.70	DVMS2 Standard Efficiency Heat Pump Inverter R410A	15,402.00

*Maximum Heating capacity - a rated heating capacity is detailed in relevant catalogue and Technical Data Book.

NEW R32 Model

R32



R32 DVM S - Mini VRF

DVM S Mini R32 HEAT PUMP OUTDOOR UNITS ~ 1 PHASE

Model Reference	Type	HP	Cool	Heat*	SEER~	SCoP~	Description	LIST PRICE £
-----------------	------	----	------	-------	-------	-------	-------------	--------------

SINGLE FAN

AM040DXMDKG/EU	2-Pipe	4	12.1kW	14.2kW	8.50	5.10	DVM S Mini Inverter Heat Pump R32 1 Phase	2,952.00
AM050DXMDKG/EU	2-Pipe	5	14.0kW	16.0kW	8.20	5.10	DVM S Mini Inverter Heat Pump R32 1 Phase	3,155.00
AM060DXMDKG/EU	2-Pipe	6	15.5kW	18.0kW	8.00	5.10	DVM S Mini Inverter Heat Pump R32 1 Phase	3,471.00

*Maximum Heating capacity - a rated heating capacity is detailed in relevant catalogue and Technical Data Book.

~SEER & SCOP calculated using non-ducted indoor units (values when connected to Ducted units are detailed in relevant Technical Data book)

DVM S Mini R32 HEAT PUMP OUTDOOR UNITS ~ 3 PHASE

SINGLE FAN

AM040DXMDNG/EU	2-Pipe	4	12.1kW	14.2kW	8.50	5.10	DVM S Mini Inverter Heat Pump R32 3 Phase	3,040.00
AM050DXMDNG/EU	2-Pipe	5	14.0kW	16.0kW	8.20	5.10	DVM S Mini Inverter Heat Pump R32 3 Phase	3,250.00
AM060DXMDNG/EU	2-Pipe	6	15.5kW	18.0kW	8.00	5.10	DVM S Mini Inverter Heat Pump R32 3 Phase	3,575.00

*Maximum Heating capacity - a rated heating capacity is detailed in relevant catalogue and Technical Data Book.

~SEER & SCOP calculated using non-ducted indoor units (values when connected to Ducted units are detailed in relevant Technical Data book)

DVM S - Universal Indoor units for R32 refrigerant system

DVM S INDOOR UNITS - Universal (R410A & R32) - Built-in R32 leak detector

The above R32 Outdoor units **MUST** be connected to Universal Indoor units (AM***DN*DKG/EU) as listed on pages 36, 37 & 38.

Universal Models for use with R32 systems listed below:

- 360 Cassette
- 4way Standard WindFree Cassette
- 4way Mini WindFree Cassette
- 4way WindFree Cassette
- Slim Ducted with built-in condensate pump
- Medium Static Pressure Ducted with built-in condensate pump
- High Static Pressure Ducted with built-in condensate pump
- Ceiling Suspended
- WindFree High Wall Mounted

DVM S - Controller for R32 refrigerant system

DVM S R32 CONTROLS

Model Reference	Description	LIST PRICE £
MWR-WG01JN	LCD COLOUR PREMIUM Wired Controller (R32)	95.00

IMPORTANT NOTE

The Built-in R32 safety systems including refrigerant leak detector will only operate if the the R32 outdoor is connected to Integrated Indoor units (AM***DN*DKG/EU) and R32 remote controller (MWR-WG01JN).

DVM S INDOOR UNITS

Model Reference	Cool	Heat	Description
360 Cassette			

LIST PRICE £

Circular 360 Cassette - R410A



AM045KN4DEH/EU	4.5kW	5.0kW	360 Cassette (947mm diameter)	906.00
AM056KN4DEH/EU	5.6kW	6.3kW	360 Cassette (947mm diameter)	961.00
AM071KN4DEH/EU	7.1kW	8.0kW	360 Cassette (947mm diameter)	1,043.00
AM090KN4DEH/EU	9.0kW	10.0kW	360 Cassette (947mm diameter)	1,193.00
AM112KN4DEH/EU	11.2kW	12.5kW	360 Cassette (947mm diameter)	1,369.00
AM128KN4DEH/EU	12.8kW	13.8kW	360 Cassette (947mm diameter)	1,540.00
AM140KN4DEH/EU	14.0kW	16.0kW	360 Cassette (947mm diameter)	1,649.00
PC4NUDMAN			360 Cassette Panel Square - WHITE	151.00
PC4NUNMAN			360 Cassette Panel Round - WHITE	151.00
PC4NBDMAN			360 Cassette Panel Square - BLACK	151.00
PC4NBNMAN			360 Cassette Panel Round - BLACK	151.00
PC6EUCMAN			360 Cassette Fascia Panel Round - PURE Filter	480.00
PC6EUXMAN			360 Cassette Fascia Panel Round - AutoLIFT	452.00

See page 36 For new Universal indoor equivalent models

4-way high efficiency Cassette WindFree™

LIST PRICE £



High Efficiency 4way Cassette - WindFree™ - R410A

AM028AN4PKH/EU	2.8kW	3.2kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm)	733.00
AM036AN4PKH/EU	3.6kW	4.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm)	772.00
AM045AN4PKH/EU	4.5kW	5.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm)	814.00
AM056AN4PKH/EU	5.6kW	6.3kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm)	859.00
AM071AN4PKH/EU	7.1kW	8.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm)	896.00
AM090AN4PKH/EU	9.0kW	10.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm)	1,021.00
AM112AN4PKH/EU	11.2kW	12.5kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm)	1,114.00
AM128AN4PKH/EU	12.8kW	13.8kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm)	1,323.00
AM140AN4PKH/EU	14.0kW	16.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm)	1,413.00
PC4NUFMAN			WindFree 4-Way Cassette Fascia Panel	151.00
PC4NUCEAN			WindFree 4-Way Cassette Fascia Panel - PURE Filter	541.00
PC4NUXMAN			WindFree 4-Way Cassette Fascia Panel - AutoLIFT	376.00

See page 36 For new Universal indoor equivalent models

4-way Mini Cassette WindFree™

LIST PRICE £



4way mini Cassette - WindFree™ - R410A

AM015NNNDEH/EU	1.5kW	1.7kW	WindFree Mini 4-Way Cassette (575mm x 575mm)	654.00
AM022NNNDEH/EU	2.2kW	2.5kW	WindFree Mini 4-Way Cassette (575mm x 575mm)	660.00
AM028NNNDEH/EU	2.8kW	3.2kW	WindFree Mini 4-Way Cassette (575mm x 575mm)	679.00
AM036NNNDEH/EU	3.6kW	4.0kW	WindFree Mini 4-Way Cassette (575mm x 575mm)	698.00
AM045NNNDEH/EU	4.5kW	5.0kW	WindFree Mini 4-Way Cassette (575mm x 575mm)	770.00
AM056NNNDEH/EU	5.6kW	6.3kW	WindFree Mini 4-Way Cassette (575mm x 575mm)	853.00
AM060NNNDEH/EU	6.0kW	6.8kW	WindFree Mini 4-Way Cassette (575mm x 575mm)	904.00
PC4SUFMAN			WindFree Mini 4-Way Cassette Fascia Panel - 620x620	146.00

See page 36 For new Universal indoor equivalent models

1-way Mini Cassette WindFree™

LIST PRICE £



1way Cassette - WindFree™

AM017NN1PEH/EU	1.7kW	1.9kW	WindFree 1-Way Cassette (740mm x 360mm) - use small panel	806.00
AM022NN1PEH/EU	2.2kW	2.5kW	WindFree 1-Way Cassette (740mm x 360mm) - use small panel	817.00
PC1MWFMAN			WindFree 1-Way Cassette Fascia Panel - Small	146.00
PC1MWCMAN			WindFree 1-Way Cassette Fascia Panel - Small - PURE Filter	429.00
AM022NN1DKH/EU	2.2kW	2.5kW	WindFree Slimline 1-Way Cassette (970mm x 410mm) - use medium panel	818.00
AM028NN1DKH/EU	2.8kW	3.2kW	WindFree Slimline 1-Way Cassette (970mm x 410mm) - use medium panel	845.00
AM036NN1DKH/EU	3.6kW	4.0kW	WindFree Slimline 1-Way Cassette (970mm x 410mm) - use medium panel	899.00
PC1NWFMAN			WindFree 1-Way Cassette Fascia Panel - Medium	146.00
PC1NWCMAN			WindFree 1-Way Cassette Fascia Panel - Medium - PURE Filter	452.00

See page 37 For new Universal indoor equivalent models

NOTE: R410A Indoor units must NOT be connected to R32 DVM Outdoor units

DVM S2 | WindFree™

Digital Variable Multi Compatible

DVM S INDOOR UNITS

Model Reference Cool Heat Description

Slimline Ducted

LIST PRICE £

Slim Duct - R410A



AM017ANLDKH/EU	1.7kW	1.9kW	Slimline Ducted Unit	585.00
AM022ANLDKH/EU	2.2kW	2.5kW	Slimline Ducted Unit	612.00
AM028ANLDKH/EU	2.8kW	3.2kW	Slimline Ducted Unit	644.00
AM036ANLDKH/EU	3.6kW	4.0kW	Slimline Ducted Unit	660.00
AM045ANLDKH/EU	4.5kW	5.0kW	Slimline Ducted Unit	707.00
AM056ANLDKH/EU	5.6kW	6.3kW	Slimline Ducted Unit	802.00
AM071ANLDKH/EU	7.1kW	8.0kW	Slimline Ducted Unit	848.00
AM090ANLDKH/EU	9.0kW	10.0kW	Slimline Ducted Unit	1,226.00

Slimline Ducted with condensate pump

LIST PRICE £

AM017KNLDEH/EU	1.7kW	1.9kW	Slimline Ducted Unit with built-in condensate pump	650.00
AM022KNLDEH/EU	2.2kW	2.5kW	Slimline Ducted Unit with built-in condensate pump	679.00
AM028KNLDEH/EU	2.8kW	3.2kW	Slimline Ducted Unit with built-in condensate pump	707.00
AM036KNLDEH/EU	3.6kW	4.0kW	Slimline Ducted Unit with built-in condensate pump	726.00
AM045MNLDEH/EU	4.5kW	5.0kW	Slimline Ducted Unit with built-in condensate pump	772.00
AM056MNLDEH/EU	5.6kW	6.3kW	Slimline Ducted Unit with built-in condensate pump	866.00
AM071MNLDEH/EU	7.1kW	8.0kW	Slimline Ducted Unit with built-in condensate pump	911.00

See page 37 For new Universal indoor equivalent models

MSP Duct S with condensate pump

LIST PRICE £

Mid Static Duct S - R410A



AM022ANMPKH/EU	2.2kW	2.5kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	755.00
AM028ANMPKH/EU	2.8kW	3.2kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	778.00
AM036ANMPKH/EU	3.6kW	4.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	802.00
AM045ANMPKH/EU	4.5kW	5.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	833.00
AM056ANMPKH/EU	5.6kW	6.3kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	880.00
AM071ANMPKH/EU	7.1kW	8.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	909.00
AM090ANMPKH/EU	9.0kW	10.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	1,221.00
AM112ANMPKH/EU	11.2kW	12.5kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	1,326.00
AM128ANMPKH/EU	12.8kW	13.8kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	1,363.00
AM140ANMPKH/EU	14.0kW	16.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	1,450.00
AM160DNMPKH/EU	16.0kW	18.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump	1,523.00

See page 37 For new Universal indoor equivalent models

HSP Ducted with condensate pump

LIST PRICE £

High Static Duct - R410A



AM090ANHPKH/EU	9.0kW	10.0kW	HSP Ducted Unit - Built-in Condensate Pump	1,484.00
----------------	-------	--------	--	----------

See page 38 For new Universal indoor equivalent models

HSP Ducted - Large

LIST PRICE £

High Static Duct - Large - R410A



AM180JNHFKH/EU	18.0kW	20.0kW	Large HSP Ducted Unit	2,176.00
AM224JNHFKH/EU	22.4kW	25.0kW	Large HSP Ducted Unit	2,436.00



AM220FNHDEH/EU	22.0kW	25.0kW	Large HSP Ducted Unit	2,557.00
AM280FNHDEH/EU	28.0kW	31.5kW	Large HSP Ducted Unit	2,646.00

NOTE: R410A Indoor units must NOT be connected to R32 DVM Outdoor units

DVM S INDOOR UNITS

Model Reference Cool Heat Description

DVM S EHS

Digital Variable Multi

80°C Hydro unit - R410A



EHS Hydro Box Indoor HT - 80°C

LIST PRICE £

AM160TNBFEB/EU	~	16.0kW	1ph EHS A2W DVM S HT Hydro Unit R134a/R410A	3,649.00
AM250TNBFEB/EU	~	25.0kW	1ph EHS A2W DVM S HT Hydro Unit R134a/R410A	4,321.00
AM160TNBFGB/EU	~	16.0kW	3ph EHS A2W DVM S HT Hydro Unit R134a/R410A	3,745.00
AM250TNBFGB/EU	~	25.0kW	3ph EHS A2W DVM S HT Hydro Unit R134a/R410A	4,499.00
MWR-WW10N			DVM S EHS HE/HT LCD Colour Hard Wired Remote Controller	95.00



50°C Hydro unit - R410A

EHS Hydro Box Indoor HE - 50°C

LIST PRICE £

AM160FNBDEH/EU	14.0kW	16.0kW	EHS A2W DVM S HE Hydro Unit R410A	1,324.00
AM320FNBDEH/EU	28.0kW	32.0kW	EHS A2W DVM S HE Hydro Unit R410A	1,972.00
AM500FNBDEH/EU	44.8kW	50.0kW	EHS A2W DVM S HE Hydro Unit R410A - ONLY for use with 2pipe HP DVM outdoors	2,310.00
MWR-WW10N			DVM S EHS HE/HT LCD Colour Hard Wired Remote Controller	95.00

Outdoor Air Processing(OAP) Unit

LIST PRICE £

OAP Unit - R410A



AM140MNEPEH/EU	14.0kW	16.0kW	OAP (Outdoor Air Processing Ducted Unit)	1,757.00
AM220MNEPEH/EU	22.0kW	25.0kW	OAP (Outdoor Air Processing Ducted Unit)	2,909.00
AM280MNEPEH/EU	28.0kW	31.5kW	OAP (Outdoor Air Processing Ducted Unit)	3,174.00

Console - Floor - Spi filter & infra-red remote control as standard

LIST PRICE £



Floor - R410A

AM022KNJDEH/EU	2.2kW	2.5kW	Console Floor Standing Unit	743.00
AM028FNJDEH/EU	2.8kW	3.2kW	Console Floor Standing Unit	795.00
AM036FNJDEH/EU	3.6kW	4.0kW	Console Floor Standing Unit	839.00
AM045KNJDEH/EU	4.5kW	5.0kW	Console Floor Standing Unit	882.00
AM056FNJDEH/EU	5.6kW	6.3kW	Console Floor Standing Unit	886.00

Hi-Static Floor Standing Chassis (un-cased)

LIST PRICE £



Floor uncased - R410A

AM036MNFDEH/EU	3.6kW	4.0kW	High Static 60Pa Floor Standing Chassis (un-cased) Unit	738.00
AM056MNFDEH/EU	5.6kW	6.3kW	High Static 60Pa Floor Standing Chassis (un-cased) Unit	822.00
AM071MNFDEH/EU	7.1kW	8.0kW	High Static 60Pa Floor Standing Chassis (un-cased) Unit	866.00

PAC Cabinet Floor Standing - built in controls (wired remote optional)

LIST PRICE £



PAC Cabinet Floor - R410A

AM140RNPDKH/EU	14kW	16kW	PAC Cabinet Floor Unit	1,539.00
AM280CNPDKH/EU	28kW	31.5kW	PAC Cabinet Floor Unit	2,641.00

NOTE: R410A Indoor units must NOT be connected to R32 DVM Outdoor units

DVM S INDOOR UNITS - Universal (R410A & R32) - Built-in R32 leak detector

Model Reference Cool Heat Description
360 Cassette

LIST PRICE £



Circular 360 Cassette - Universal Indoor (R410A & R32)

AM045DN6DKG/EU	4.5kW	5.0kW	360 Cassette (947mm diameter) - Universal R410A / R32	969.00
AM056DN6DKG/EU	5.6kW	6.3kW	360 Cassette (947mm diameter) - Universal R410A / R32	1,028.00
AM071DN6DKG/EU	7.1kW	8.0kW	360 Cassette (947mm diameter) - Universal R410A / R32	1,116.00
AM090DN6DKG/EU	9.0kW	10.0kW	360 Cassette (947mm diameter) - Universal R410A / R32	1,277.00
AM112DN6DKG/EU	11.2kW	12.5kW	360 Cassette (947mm diameter) - Universal R410A / R32	1,465.00
AM128DN6DKG/EU	12.8kW	13.8kW	360 Cassette (947mm diameter) - Universal R410A / R32	1,648.00
AM140DN6DKG/EU	14.0kW	16.0kW	360 Cassette (947mm diameter) - Universal R410A / R32	1,764.00
PC4NUDMAN			360 Cassette Panel Square - WHITE	151.00
PC4NUNMAN			360 Cassette Panel Round - WHITE	151.00
PC4NBDMAN			360 Cassette Panel Square - BLACK	151.00
PC4NBNMAN			360 Cassette Panel Round - BLACK	151.00
PC6EUCMAN			360 Cassette Fascia Panel Round - PURE Filter	480.00
PC6EUXMAN			360 Cassette Fascia Panel Round - AutoLIFT	452.00
PC6NUSMANW			360 Cassette Panel Square - WHITE - Wifi **	151.00
PC6EUSMANW			360 Cassette Panel Round - WHITE - Wifi **	151.00
PC6NBSMANW			360 Cassette Panel Square - BLACK - Wifi **	151.00
PC6EBSMANW			360 Cassette Panel Round - BLACK - Wifi **	151.00
PC6EUCMANW			360 Cassette Fascia Panel Round - PURE Filter - Wifi **	480.00
PC6EUXMANW			360 Cassette Fascia Panel Round - AutoLIFT - Wifi **	452.00

** 'Built in Wifi' operation only when wifi panels are connected to Universal Indoor cassette models (AM***DN*DKG/EU)

4-way high efficiency Cassette WindFree™

LIST PRICE £



High Efficiency 4way Cassette - WindFree™ Universal Indoor (R410A & R32)

AM028DN4DKG/EU	2.8kW	3.2kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm) - Universal R410A / R32	784.00
AM036DN4DKG/EU	3.6kW	4.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm) - Universal R410A / R32	826.00
AM045DN4DKG/EU	4.5kW	5.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm) - Universal R410A / R32	871.00
AM056DN4DKG/EU	5.6kW	6.3kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm) - Universal R410A / R32	919.00
AM071DN4DKG/EU	7.1kW	8.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm) - Universal R410A / R32	959.00
AM090DN4DKG/EU	9.0kW	10.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm) - Universal R410A / R32	1,092.00
AM112DN4DKG/EU	11.2kW	12.5kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm) - Universal R410A / R32	1,192.00
AM128DN4DKG/EU	12.8kW	13.8kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm) - Universal R410A / R32	1,416.00
AM140DN4DKG/EU	14.0kW	16.0kW	High Efficiency WindFree 4-Way Cassette (840mm x 840mm) - Universal R410A / R32	1,512.00
PC4NUFMAN			WindFree 4-Way Cassette Fascia Panel	151.00
PC4NUCEAN			WindFree 4-Way Cassette Fascia Panel - PURE Filter	541.00
PC4NUXMAN			WindFree 4-Way Cassette Fascia Panel - AutoLIFT	376.00
PC4NBFMANW			WindFree 4-Way Cassette Fascia Panel - BLACK - Wifi **	151.00
PC4NUFMANW			WindFree 4-Way Cassette Fascia Panel - Wifi **	151.00
PC4NUCMANW			WindFree 4-Way Cassette Fascia Panel - PURE Filter - Wifi **	541.00
PC4NUXMANW			WindFree 4-Way Cassette Fascia Panel - AutoLIFT - Wifi **	376.00

** 'Built in Wifi' operation only when wifi panels are connected to Universal Indoor cassette models (AM***DN*DKG/EU)

4-way Mini Cassette WindFree™

LIST PRICE £



4way mini Cassette - WindFree™ Universal Indoor (R410A & R32)

AM015DNNDKG/EU	1.5kW	1.7kW	WindFree Mini 4-Way Cassette (575mm x 575mm) - Universal R410A / R32	700.00
AM022DNNDKG/EU	2.2kW	2.5kW	WindFree Mini 4-Way Cassette (575mm x 575mm) - Universal R410A / R32	706.00
AM028DNNDKG/EU	2.8kW	3.2kW	WindFree Mini 4-Way Cassette (575mm x 575mm) - Universal R410A / R32	727.00
AM036DNNDKG/EU	3.6kW	4.0kW	WindFree Mini 4-Way Cassette (575mm x 575mm) - Universal R410A / R32	747.00
AM045DNNDKG/EU	4.5kW	5.0kW	WindFree Mini 4-Way Cassette (575mm x 575mm) - Universal R410A / R32	824.00
AM056DNNDKG/EU	5.6kW	6.3kW	WindFree Mini 4-Way Cassette (575mm x 575mm) - Universal R410A / R32	913.00
AM060DNNDKG/EU	6.0kW	6.8kW	WindFree Mini 4-Way Cassette (575mm x 575mm) - Universal R410A / R32	967.00
PC4SUFMAN			WindFree Mini 4-Way Cassette Fascia Panel - 620x620	146.00
PC4SUFMANW			WindFree Mini 4-Way Cassette Fascia Panel - 620x620 - Wifi **	146.00

** 'Built in Wifi' operation only when wifi panels are connected to Universal Indoor cassette models (AM***DN*DKG/EU)

DVM S INDOOR UNITS - Universal (R410A & R32) - Built-in R32 leak detector

Model Reference Cool Heat Description

1-way Cassette WindFree™

LIST PRICE £

1way Cassette - WindFree™ Universal Indoor (R410A & R32)



AM017DN1DKG/EU	1.7kW	1.9kW	WindFree 1-Way Cassette (740mm x 360mm) - Universal R410A / R32	862.00
AM022DN1DKG/EU	2.2kW	2.5kW	WindFree 1-Way Cassette (740mm x 360mm) - Universal R410A / R32	874.00
PC1MWFMAN			WindFree 1-Way Cassette Fascia Panel - Small	146.00
PC1MWCMAN			WindFree 1-Way Cassette Fascia Panel - Small - PURE Filter	429.00
PC1MWFMANW			WindFree 1-Way Cassette Fascia Panel - Small - Wifi **	146.00
PC1MWCMANW			WindFree 1-Way Cassette Fascia Panel - Small - PURE Filter - Wifi **	429.00

AM028DN1DKG/EU	2.8kW	3.2kW	WindFree Slimline 1-Way Cassette (970mm x 410mm) - Universal R410A / R32	904.00
AM036DN1DKG/EU	3.6kW	4.0kW	WindFree Slimline 1-Way Cassette (970mm x 410mm) - Universal R410A / R32	962.00
PC1NWFMAN			WindFree 1-Way Cassette Fascia Panel - Medium	146.00
PC1NWCMAN			WindFree 1-Way Cassette Fascia Panel - Medium - PURE Filter	452.00
PC1NWFMANW			WindFree 1-Way Cassette Fascia Panel - Medium - Wifi **	146.00
PC1NWCMANW			WindFree 1-Way Cassette Fascia Panel - Medium - PURE Filter - Wifi **	452.00

AM056DN1DKG/EU	5.6kW	6.3kW	WindFree Slimline 1-Way Cassette (1200mm x 450mm) - Universal R410A / R32	1,053.00
AM071DN1DKG/EU	7.1kW	8.0kW	WindFree Slimline 1-Way Cassette (1200mm x 450mm) - Universal R410A / R32	1,115.00
PC1BWFMAN			WindFree 1-Way Cassette Fascia Panel - Large	146.00
PC1BWFMANW			WindFree 1-Way Cassette Fascia Panel - Large - Wifi **	146.00

** 'Built in Wifi' operation only when wifi panels are connected to Universal Indoor cassette models (AM***DN*DKG/EU)

Slimline Ducted

LIST PRICE £

Slim Duct - Universal Indoor (R410A & R32)



Slimline Ducted with condensate pump				LIST PRICE £
AM017DNLDKG/EU	1.7kW	1.9kW	Slimline Ducted Unit with built-in condensate pump - Universal R410A / R32	696.00
AM022DNLDKG/EU	2.2kW	2.5kW	Slimline Ducted Unit with built-in condensate pump - Universal R410A / R32	727.00
AM028DNLDKG/EU	2.8kW	3.2kW	Slimline Ducted Unit with built-in condensate pump - Universal R410A / R32	756.00
AM036DNLDKG/EU	3.6kW	4.0kW	Slimline Ducted Unit with built-in condensate pump - Universal R410A / R32	777.00
AM045DNLDKG/EU	4.5kW	5.0kW	Slimline Ducted Unit with built-in condensate pump - Universal R410A / R32	826.00
AM056DNLDKG/EU	5.6kW	6.3kW	Slimline Ducted Unit with built-in condensate pump - Universal R410A / R32	927.00
AM071DNLDKG/EU	7.1kW	8.0kW	Slimline Ducted Unit with built-in condensate pump - Universal R410A / R32	975.00

MSP Duct S with condensate pump

LIST PRICE £

Medium Static Duct S - Universal Indoor (R410A & R32)



AM022DNMDKG/EU	2.2kW	2.5kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	808.00
AM028DNMDKG/EU	2.8kW	3.2kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	832.00
AM036DNMDKG/EU	3.6kW	4.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	858.00
AM045DNMDKG/EU	4.5kW	5.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	891.00
AM056DNMDKG/EU	5.6kW	6.3kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	942.00
AM071DNMDKG/EU	7.1kW	8.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	973.00
AM090DNMDKG/EU	9.0kW	10.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	1,306.00
AM112DNMDKG/EU	11.2kW	12.5kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	1,419.00
AM128DNMDKG/EU	12.8kW	13.8kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	1,458.00
AM140DNMDKG/EU	14.0kW	16.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	1,552.00
AM160DNMDKG/EU	16.0kW	18.0kW	Duct S MSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	1,630.00

DVM S INDOOR UNITS - Universal (R410A & R32) - Built-in R32 leak detector

Model Reference Cool Heat Description

HSP Ducted with condensate pump

LIST PRICE £

High Static Duct - Universal Indoor (R410A & R32)



AM090DNHDKG/EU	9.0kW	10.0kW	HSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	1,588.00
AM112DNHDKG/EU	11.2kW	12.5kW	HSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	1,690.00
AM128DNHDKG/EU	12.8kW	13.8kW	HSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	1,730.00
AM140DNHDKG/EU	14.0kW	16.0kW	HSP Ducted Unit - Built-in Condensate Pump - Universal R410A / R32	1,776.00

Ceiling/Floor

LIST PRICE £

Ceiling/Floor - Universal Indoor (R410A & R32)



AM056DNCDKG/EU	5.6kW	6.3kW	Under Ceiling / Floor Standing Unit - Universal R410A / R32	951.00
----------------	-------	-------	---	--------

Note: Ceiling use only permitted for R32 installation (must be connected to R410A refrigerant system to be mounted on floor)

Ceiling Suspended

LIST PRICE £

Ceiling Suspended - Universal Indoor (R410A & R32)



AM071DNCDKG/EU	7.1kW	8.0kW	Under Ceiling Unit - Universal R410A / R32	1,048.00
AM112DNCDKG/EU	11.2kW	12.5kW	Under Ceiling Unit - Universal R410A / R32	1,100.00
AM140DNCDKG/EU	14.0kW	16.0kW	Under Ceiling Unit - Universal R410A / R32	1,211.00

Wall Mounted

LIST PRICE £

WindFree™ High Wall - Universal Indoor (R410A & R32)



AM015DNVDKG/EU	1.5kW	1.7kW	WindFree High Wall Mounted Unit (With EEV) - Universal R410A / R32	700.00
AM022DNVDKG/EU	2.2kW	2.5kW	WindFree High Wall Mounted Unit (With EEV) - Universal R410A / R32	723.00
AM028DNVDKG/EU	2.8kW	3.2kW	WindFree High Wall Mounted Unit (With EEV) - Universal R410A / R32	746.00
AM036DNVDKG/EU	3.6kW	4.0kW	WindFree High Wall Mounted Unit (With EEV) - Universal R410A / R32	766.00
AM045DNVDKG/EU	4.5kW	5.0kW	WindFree High Wall Mounted Unit (With EEV) - Universal R410A / R32	799.00
AM056DNVDKG/EU	5.6kW	6.3kW	WindFree High Wall Mounted Unit (With EEV) - Universal R410A / R32	832.00
AM071DNVDKG/EU	6.8kW	7.0kW	WindFree High Wall Mounted Unit (With EEV) - Universal R410A / R32	911.00
AM082DNVDKG/EU	8.2kW	8.5kW	WindFree High Wall Mounted Unit (With EEV) - Universal R410A / R32	987.00

Large Wall - Universal Indoor (R410A & R32)



Large Wall Mounted - (with EEV)

LIST PRICE £

AM093DNQDKG/EU	9.3kW	9.8kW	High Wall Mounted Unit (With EEV) - Universal R410A / R32	1,188.00
----------------	-------	-------	---	----------



Accessories

DVM S MCU - HR 3pipe Mode Control Units

Model Reference	Type	Type	Description	LIST PRICE £
-----------------	------	------	-------------	--------------

For use with DVM S Eco HR (Mini VRF) - add 1, 2, 4 & 6 port MCU to match number of indoor unit connections

MCU-R4NEK0N	4 Port	ECO HR	MASTER 4-port HR MCU Kit <22.4kW (<5.6kW per port) - DVM S Eco HR	1,458.00
-------------	--------	--------	---	----------

For use with all HR outdoors - including the DVM S eco in addition to HR Master MCU above

MCU-S1NEK1N	1 Port	3-Pipe	1-port MCU Kit <16kW	613.00
MCU-S2NEK2N	2 Port	3-Pipe	2-port MCU Kit <32kW (<16kW per port) - Serial connection possible	914.00
MCU-S4NEK3N	4 Port	3-Pipe	4-port MCU Kit <61.6kW (<16kW per port) - Serial connection possible	1,376.00
MCU-S6NEK2N	6 Port	3-Pipe	6-port MCU Kit <61.6kW (<16kW per port) - Serial connection possible	1,683.00
MCU-S6NEK3N	6 Port	3-Pipe	6-port MCU Kit <22.4kW (<5.6kW per port) - Serial connection possible	1,785.00
MCU-S8NEK1N	8 Port	3-Pipe	8-port MCU Kit <85kW (<16kW per port) - Serial connection possible	2,188.00
MCU-S12NEK1N	12 Port	3-Pipe	12-port MCU Kit <85kW (<16kW per port) - Serial connection possible	2,861.00

DVM S PIPE JOINTS

Model Reference	Connect	Type	Description	LIST PRICE £
-----------------	---------	------	-------------	--------------

MXJ-YA1509M	IU	2-Pipe	Y-Joint (<15kW)	56.00
MXJ-YA2512M	IU	2-Pipe	Y-Joint to (15.1kW > 40kW)	96.00
MXJ-YA2812M	IU	2-Pipe	Y-Joint (40.1kW to 45kW)	118.00
MXJ-YA2815M	IU	2-Pipe	Y-Joint (45.1kW to 70.3kW)	118.00
MXJ-YA3419M	IU	2-Pipe	Y-Joint (70.4kW to 98.4kW)	142.00
MXJ-YA4119M	IU	2-Pipe	Y-Joint (98.5kW to 135.2kW)	168.00
MXJ-YA4422M	IU	2-Pipe	Y-Joint (>135.2kW)	302.00

MXJ-YA1500M	IU	3-Pipe	additional Y-Joint (<22.4kW) Discharge pipe*	44.00
MXJ-YA2500M	IU	3-Pipe	additional Y-Joint (22.5kW to 67.3kW) Discharge pipe*	74.00
MXJ-YA3100M	IU	3-Pipe	additional Y-Joint (67.4kW to 135.2kW) Discharge pipe*	112.00
MXJ-YA3800M	IU	3-Pipe	additional Y-Joint (>135.2kW) Discharge pipe*	118.00

*+ 2-Pipe Y-Joint above

MXJ-YM1206R	IU	3-Pipe	6-14kW Connection from 1 MCU port (MCU-R4NEK0N only)	40.00
MXJ-YM1206M	IU	3-Pipe	6-14W Connection from 1 MCU port (MCU-S6NEK3N only)	50.00
MXJ-YM1509M	IU	3-Pipe	16-28kW Connection from 1 MCU port (2/4/6 MCU)	58.00

MXJ-HA2512M	IU	2-Pipe	4 way Header Joint (< 45.0kW)	61.00
MXJ-HA3115M	IU	2-Pipe	8 way Header Joint (< 70.3kW)	168.00
MXJ-HA3819M	IU	2-Pipe	8 way Header Joint (> 70.4kW)	174.00

MXJ-TA3419M	OU	2-Pipe	<49HP Multiple Outdoor Unit Connection Joint (<135.2kW)	144.00
MXJ-TA3819M	OU	2-Pipe	<49HP Multiple Outdoor Unit Connection Joint (<135.2kW)	120.00
MXJ-TA4122M	OU	2-Pipe	>50HP Multiple Outdoor Unit Connection Joint (>140.2kW)	197.00
MXJ-TA4422M	OU	2-Pipe	>50HP Multiple Outdoor Unit Connection Joint (>140.2kW)	197.00

MXJ-TA3100M	OU	3-Pipe	<49HP Outdoor Unit Connection Joint (<135.2kW) Discharge pipe*	85.00
MXJ-TA3800M	OU	3-Pipe	>50HP Outdoor Unit Connection Joint (>140.2kW) Discharge pipe*	97.00

*+ 2-Pipe Y-Joint above

MXD-A12K2A	OU	PDM	Pressure Drop Modulation Kit (8HP to 12HP)	110.00
MXD-A38K2A	OU	PDM	Pressure Drop Modulation Kit (14HP to 16HP)	129.00
MXD-A58K2A	OU	PDM	Pressure Drop Modulation Kit (18HP to 26HP)	137.00

DVM S INDOOR UNIT EEV Kits for Wall & Ceiling units

LIST PRICE £

* Electronic Expansion Valve Kits for Boracay Wall AM...KNTDEH, AM...TNADKH & Ceiling AM...FNCDEH

MEV-E24SA	EEV Kit (1 Indoor)	<4kW	95.00
MEV-E32SA	EEV Kit (1 Indoor)	>4kW	104.00
MXD-E24K132A	EEV Kit (2 Indoor)	port 1 <4kW, port 2 >4kW	249.00
MXD-E24K200A	EEV Kit (2 Indoor)	port 1 <4kW, port 2 <4kW	249.00
MXD-E32K200A	EEV Kit (2 Indoor)	port 1 >4kW, port 2 >4kW	249.00
MXD-E24K232A	EEV Kit (3 Indoor)	port 1 <4kW, port 2 <4kW, port 3 >4kW	316.00
MXD-E24K300A	EEV Kit (3 Indoor)	port 1 <4kW, port 2 <4kW, port 3 <4kW	316.00
MXD-E32K224A	EEV Kit (3 Indoor)	port 1 <4kW, port 2 >4kW, port 3 >4kW	316.00
MXD-E32K300A	EEV Kit (3 Indoor)	port 1 >4kW, port 2 >4kW, port 3 >4kW	316.00

DIAGNOSTIC TOOLS

LIST PRICE £

MIM-C02N	S Net Pro Converter (USB)	188.00
----------	---------------------------	--------

DVM S2 | WindFree™

Digital Variable Multi Compatible

Controls, Accessories & Pumps



DVM S INTERFACES & CONTROLS		LIST PRICE £
Model Reference	Description	

INDIVIDUAL CONTROLS		
MWR-WG01JN	LCD COLOUR PREMIUM Wired Controller (R32/R410A) - MUST BE USED WITH R32 DVM SYSTEM	95.00
MWR-SH11N	Touch Simplified Wired Remote Controller - WindFree™ (NASA)	92.00
MWR-WW10N	DVM S EHS HE/HT LCD Colour Hard Wired Remote Controller	95.00
AR-CH01E	360 / WindFree Wireless Solar Remote controller (SPLIT/DVM)	50.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller (SPLIT/DVM)	36.00
MRK-A10N	DUCT S & Slim Duct Wireless Signal Receiver Kit (requires AR-EH03E)	35.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA SPLIT/DVM IU	139.00

CENTRAL CONTROLS		LIST PRICE £
MCM-A300BN	NEW Tablet style Touch Screen Controller (Centralised management of up to 128 indoor units)	959.00
MCM-A202DN	Centralised On/Off Controller (maximum of 16 Group controls (maximum of 256 indoor units)	100.00

BMS GATEWAYS & INTERFACES		LIST PRICE £
MIM-D01AN	Data Management Server (DVM/FJM/CAC/ERV) central management of up to 256 indoor units, web server	1,100.00
MIM-B16N	Pulse Input Module (PIM) - Watt Hour Meter Interface Module (connect up to 8 watt hour meters)	308.00
MIM-B17BN	BACnet DMS 2 (Data Management Server with Built in BACnet Gateway - maximum 256 indoor units)	2,027.00
MIM-B18BN	LONWorks DMS 2 (Data Management Server with Built in LONWorks Gateway - maximum 128 indoor units)	2,027.00
MIM-B19N	MODBUS interface Module 48 indoor units (1 outdoor)	139.00

SOFTWARE		INVOICE PRICE £
MST-BL1A	bIoT Lite PC software for DVM S systems - Optimal central control of small & medium size buildings	1,350.00
MST-P3P	SNET-3 Web server Software - connect upto 16 DMS & control upto 4096 indoor units	1,738.00

DIAGNOSTIC TOOLS		LIST PRICE £
MIM-C02N	S Net Pro Converter (USB)	188.00

INTERFACES & ACCESSORIES		LIST PRICE £
MIM-B14	External Contact Interface Module (remote on/off, unit operation/error output)	21.00
MIM-B14A	Leak Detection Contact Interface	27.00
MRW-TA	Remote Temperature Sensor	23.00
MCM-C200	Mode Selection Switch - operation mode selection (cooling, heating, auto)	55.00
MCM-C210N	Multi Tenant Function Controller	70.00
MCR-SMC	Motion detect sensor for 4-way Cassette (WindFree) - for 950x950 panel	69.00
MCR-SMD	Motion detect sensor for 4-way Mini Cassette (WindFree) - for 620x620 panel	69.00
MCR-SME	Motion detect sensor for 360 Cassette - for SQUARE panel	69.00
MIM-N01	NASA to RS485 - forwards and backward communications protocol converter	174.00
MOK-200DA	L shape Drain for 1way cassette - Travelodge Spec	13.00

DVM S CASSETTE INDOOR UNIT PANELS		LIST PRICE £
PC6NUSMANW	360 Cassette Wifi Panel Square WHITE - 'built-in Wifi' option only when used with Universal Indoor	151.00
PC6EUSMANW	360 Cassette Wifi Panel Round WHITE - 'built-in Wifi' option only when used with Universal Indoor	151.00
PC6NBSMANW	360 Cassette Wifi Panel Square - BLACK - 'built-in Wifi' option only when used with Universal Indoor	151.00
PC6EBSMANW	360 Cassette Wifi Panel Round - BLACK - 'built-in Wifi' option only when used with Universal Indoor	151.00
PC6EUCMANW	360 Cassette Wifi Panel Round - PURE Filter - 'built-in Wifi' option only when used with Universal Indoor	480.00
PC6EUXMANW	360 Cassette Wifi Panel Round - AutoLIFT - 'built-in Wifi' option only when used with Universal Indoor	452.00
PC4SUFMANW	WindFree Mini 4-Way Cassette Wifi Panel - 620x620 - 'built-in Wifi' option only when used with Universal Indoor	146.00
PC4NUFMANW	WindFree 4-Way Cassette Wifi Panel - 'built-in Wifi' option only when used with Universal Indoor	151.00
PC4NBFMANW	WindFree 4-Way Cassette Wifi Panel - BLACK - 'built-in Wifi' option only when used with Universal Indoor	151.00
PC4NUCMANW	WindFree 4-Way Cassette Wifi Panel - PURE Filter - 'built-in Wifi' option only when used with Universal Indoor	541.00
PC4NUXMANW	WindFree 4-Way Cassette Wifi Panel - AutoLIFT - 'built-in Wifi' option only when used with Universal Indoor	376.00
PC1MWFMANW	WindFree 1-Way Cassette Wifi Panel - small - 'built-in Wifi' option only when used with Universal Indoor	146.00
PC1NWFMANW	WindFree 1-Way Cassette Wifi Panel - medium - 'built-in Wifi' option only when used with Universal Indoor	146.00
PC1BWFMANW	WindFree 1-Way Cassette Wifi Panel - large - 'built-in Wifi' option only when used with Universal Indoor	146.00
PC1MWCMANW	WindFree 1-Way Cassette Wifi Panel - Small - PURE Filter - 'built-in Wifi' only when used with Universal Indoor	429.00
PC1NWCMANW	WindFree 1-Way Cassette Wifi Panel - Medium - PURE Filter - 'built-in Wifi' only when used with Universal Indoor	452.00


DVM S INDOOR - DRAIN PUMPS		LIST PRICE £
MDP-E075SEE3D	Drain Pump for Slimline Ducted Unit (ANL model) 90, 112, 140 models	81.00
MDP-M075SGU2D	Drain Pump for OAP model - AM140MNEPEH/EU	76.00
MDP-N047SNC1D	Drain Pump for HSP Ducted Unit (22kW & 28kW)	85.00

ERV & ERVPLUS

Heat Recovery Ventilator

Air to Air Heat Exchangers

ERV HEAT RECOVERY VENTILATION UNITS - 1 phase							
Model Reference	Description	Air Volume	Max Fuse		Rated ESP	Duct Dia	LIST PRICE £
AN026JSKLKN/EU	Air to Air Heat Exchanger	260m³/h	6A		100Pa	150mm	862.00
AN035JSKLKN/EU	Air to Air Heat Exchanger	350m³/h	6A		155Pa	200mm	1,084.00
AN050JSKLKN/EU	Air to Air Heat Exchanger	500m³/h	6A		165Pa	200mm	1,136.00
AN080JSKLKN/EU	Air to Air Heat Exchanger	800m³/h	6A		155Pa	250mm	1,553.00
AN100JSKLKN/EU	Air to Air Heat Exchanger	1000m³/h	6A		155Pa	250mm	1,832.00
MOS-P1050	Differential Pressure Switch	MUST BE ORDERED WITH ABOVE TO COMPLY WITH ERP REGULATIO					92.00



DVM Air to Air Heat Exchangers - with coil

DVM S ERV PLUS HEAT RECOVERY VENTILATION UNITS (with DX coil)							
Model Reference	Description	Air Volume	Max Fuse	Pipe Sizes	Rated ESP	Duct Dia	LIST PRICE £
AM050FNKDEH/EU	Heat Exchanger with coil for VRF	500m³/h	6A	1/4", 1/2"	160Pa	200mm	1,554.00
AM100FNKDEH/EU	Heat Exchanger with coil for VRF	1000m³/h	6A	1/4", 1/2"	150Pa	250mm	2,504.00
MOS-P1050	Differential Pressure Switch	MUST BE ORDERED WITH ABOVE TO COMPLY WITH ERP REGULATIO					92.00

ERV/ERV PLUS ACCESSORIES

Model Reference	Description	LIST PRICE £
MWR-WG00JN	LCD COLOUR PREMIUM Wired Controller (NASA)	95.00
MWR-VH12N	NEW ERV Wired Remote Controller (AN***JSKLKN)	43.00
MSD-EAN1	S-Plasma Ion Kit	68.00
MOS-C1	Carbon Dioxide Sensor	129.00
MIM-N10	NEW ERV Communication Protocol Converter - Needed if Central control interface is required	174.00
MOS-P1050	Differential Pressure Switch	MUST BE ORDERED WITH ABOVE TO COMPLY WITH ERP REGULATIO

DVM S
DIGITAL VARIABLE MULTI
AHU



Air Handling Unit Kits - R410A

DVM S AHU CONNECTION KITS - R410A DVM models only				
Model Reference	Description	HP		LIST PRICE £
MXD-K025AN	Air Handling Unit Connection Kit (2.5HP)	2.5		681.00
MXD-K050AN	Air Handling Unit Connection Kit (5.0HP)	5.0		725.00
MXD-K075AN	Air Handling Unit Connection Kit (7.5HP)	7.5		810.00
MXD-K100AN	Air Handling Unit Connection Kit (10.0HP)	10.0		853.00
SOLUTIONS For Capacities >10hp on same refrigeration system - use up to 4 x MXD-A64100E per control kit				
MXD-A64K100E	AHU EEV Kit (10HP) for use with MCM-D201N	10.0		129.00
MCM-D201N	Control Kit for MXD-A64K100E			301.00

COMMERCIAL SPLIT SYSTEM

AHU

Air Handling Unit Kit



CAC AHU CONNECTION KITS				
Model Reference	Description	TYPE	HP	LIST PRICE £
MXD-K100XN	SPLIT Air Handling Unit Connection Kit (4-10.0HP) - 10kw to 25kW	R410A	4-10HP	644.00
MXD-K100XN1	SPLIT Air Handling Unit Connection Kit (1-6HP) - 2.6kw to 14kW	R32	1-6HP	676.00

NOTE: For use with Commercial Split System outdoor units ONLY, select correct AHU kit for refrigerant type

DVM S

Digital Variable Multi

CHILLER

DVM - VRF Hybrid Chiller



DVM - VRF CHILLER UNITS HP ~ 3 PHASE

Model Reference	Type	HP	Cool	Heat	usRTon	ESEER	Description	LIST PRICE £
AG042KSVANH/EU	HP	15	42.0kW	42.0kW	12	5.7	DVM S Chiller - without pump	14,623.00
AG056KSVANH/EU	HP	20	56.0kW	56.0kW	16	5.4	DVM S Chiller - without pump	15,261.00
AG070KSVANH/EU	HP	25	65.0kW	69.5kW	18.5	5	DVM S Chiller - without pump	16,338.00

* MCM-A00N REQUIRED TO COMMISSION SYSTEM



Circular 360 Cassette - Chilled Water FCU

360 Cassette	Type	Cool	Heat	Description	LIST PRICE £
AG060MN4PKH/EU	Chiller FCU	6.00kW	7.30kW	360 Cassette FCU (947mm diameter)	1,011.00
AG072MN4PKH/EU	Chiller FCU	7.20kW	8.50kW	360 Cassette FCU (947mm diameter)	1,119.00
AG090MN4PKH/EU	Chiller FCU	9.00kW	10.0kW	360 Cassette FCU (947mm diameter)	1,288.00
AG105MN4PKH/EU	Chiller FCU	10.0kW	10.7kW	360 Cassette FCU (947mm diameter)	1,476.00
PC4NUDMAN				360 Cassette Panel Square WHITE	151.00
PC4NUNMAN				360 Cassette Panel Round WHITE	151.00
PC4NBDMAN				360 Cassette Panel Square - BLACK	151.00
PC4NBNMAN				360 Cassette Panel Round - BLACK	151.00

FCU's can be used on 3rd Party Chilled Water Systems

4way Cassette - WindFree™ - Chilled Water FCU



4-way Cassette	Type	Cool	Heat	Description	LIST PRICE £
AG060AN4DKH/EU	Chiller FCU	6.00kW	7.30kW	WindFree 4-Way Cassette FCU (840mm x 840mm)	838.00
AG072AN4DKH/EU	Chiller FCU	7.20kW	8.50kW	WindFree 4-Way Cassette FCU (840mm x 840mm)	866.00
AG090AN4DKH/EU	Chiller FCU	9.00kW	10.0kW	WindFree 4-Way Cassette FCU (840mm x 840mm)	1,073.00
AG105AN4DKH/EU	Chiller FCU	10.0kW	10.7kW	WindFree 4-Way Cassette FCU (840mm x 840mm)	1,163.00
PC4NUFMAN				WindFree 4-Way Cassette Fascia Panel	151.00
PC4NUCEAN				WindFree 4-Way Cassette Fascia Panel - PURE Filter	541.00
PC4NUXMAN				WindFree 4-Way Cassette Fascia Panel - AutoLIFT	376.00

FCU's can be used on 3rd Party Chilled Water Systems

1way Cassette - WindFree™ - Chilled Water FCU



1-way Cassette	Type	Cool	Heat	Description	LIST PRICE £
AG026TN1DKH/EU	Chiller FCU	2.60kW	2.90kW	1way Wind-free Cassette FCU	837.00
AG032TN1DKH/EU	Chiller FCU	3.00kW	3.35kW	1way Wind-free Cassette FCU	868.00
PC1NWFMBN				Medium 1-Way Wind-free Chiller Cassette Fascia Panel	146.00
AG042TN1DKH/EU	Chiller FCU	4.15kW	5.00kW	1way Wind-free Cassette FCU	1,130.00
PC1BWFMBN				Large 1-Way Wind-free Chiller Cassette Fascia Panel	146.00

Cooling: Indoor temperature 27°C DB, 19°C WB / Water In/Out temperature 7°C, 12°C

Heating: Indoor temperature 20°C DB, 15°C WB / Water In/Out temperature 45°C, 40°C

FCU's can be used on 3rd Party Chilled Water Systems

CHILLER

3rd Party FCUs
Built-in Samsung Control Board



Concealed FCU - vertical or Horizontal installation

Concealed FCU	Type	Cool	Heat	Description	LIST PRICE £
ACL-18DF	Chiller FCU	1.7kW	1.8kW	Concealed FCU incl. FCU kit and 3-way valve kit	762.00
ACL-25DF	Chiller FCU	2.4kW	2.3kW	Concealed FCU incl. FCU kit and 3-way valve kit	793.00
ACL-35DF	Chiller FCU	3.2kW	3.2kW	Concealed FCU incl. FCU kit and 3-way valve kit	853.00
ACL-55DF	Chiller FCU	5.7kW	5.7kW	Concealed FCU incl. FCU kit and 3-way valve kit	1,044.00
ACL-65DF	Chiller FCU	6.0kW	6.5kW	Concealed FCU incl. FCU kit and 3-way valve kit	1,129.00

* above units fitted with Samsung Chiller interface as standard (MIM-F00N)



Cased FCU - vertical or Horizontal installation

Cased FCU	Type	Cool	Heat	Description	LIST PRICE £
ACL-18DG	Chiller FCU	1.7kW	1.8kW	Cased FCU incl. FCU kit and 3-way valve kit	856.00
ACL-25DG	Chiller FCU	2.4kW	2.3kW	Cased FCU incl. FCU kit and 3-way valve kit	906.00
ACL-35DG	Chiller FCU	3.2kW	3.2kW	Cased FCU incl. FCU kit and 3-way valve kit	978.00
ACL-55DG	Chiller FCU	5.7kW	5.7kW	Cased FCU incl. FCU kit and 3-way valve kit	1,243.00
ACL-65DG	Chiller FCU	6.0kW	6.5kW	Cased FCU incl. FCU kit and 3-way valve kit	1,338.00

* above units fitted with Samsung Chiller interface as standard (MIM-F00N)

3rd Party FCU ACCESSORIES & CONTROLS			Description	LIST PRICE £
ACL-A018HC	Heating coil 4-pipe		4-pipe installation heating coil for ACL-18, supplied loose	68.00
ACL-A025HC	Heating coil 4-pipe		4-pipe installation heating coil for ACL-25, supplied loose	85.00
ACL-A035HC	Heating coil 4-pipe		4-pipe installation heating coil for ACL-35, supplied loose	90.00
ACL-A055HC	Heating coil 4-pipe		4-pipe installation heating coil for ACL-55-65, supplied loose	145.00
ACL-A018V3	3-way valve for 4-pipe		3-way valve kit for heating coil for AC-18-35, supplied loose	125.00
ACL-A055V3	3-way valve for 4-pipe		3-way valve kit for heating coil for AC-55-65, supplied loose	125.00
ACL-ADV	Drain Pan Vertical		Auxiliary drain pan for vertical installation, supplied loose	10.00
ACL-ADH	Drain Pan Horizontal		Auxiliary drain pan for horizontal installation, supplied loose	14.00
ACL-ADP	Drain Pump		Drain pump, supplied loose	179.00

DVM S CHILLER & FCU ACCESSORIES & CONTROLS			LIST PRICE £
Model Reference	Description		
MCM-A00N	DVM Chiller Module Controller (Set-up, commissioning and control)		121.00
MWR-WG00JN	LCD COLOUR PREMIUM Wired Controller (NASA) - Fan coil controller		95.00
MWR-SH11N	Simplified Wired Remote Controller (NASA)		92.00
MCM-A300BN	Tablet Style Touch Screen Controller NASA (Centralised management of up to 128 indoor units)		959.00
MSD-CAN1	S-Plasma Ion Kit for 4way & 360 Cassette		68.00
MIM-F00N	DVM Chiller FCU kit		231.00
MIM-F10N	DVM Chiller Hub PBA		47.00
ACL-A26V3	3-way valve for Samsung FCU	3-way valve kit for SAMSUNG FCUs AG26-42, supplied loose	145.00
ACL-A60V3	3-way valve for Samsung FCU	3-way valve kit for SAMSUNG FCUs AG60-105, supplied loose	156.00
MIM-D01AN	Data Management Server (DVM/FJM/SPLIT/ERV) central management of up to 256 indoor units, web server		1,100.00
MIM-B16N	Pulse Input Module (PIM) - Watt Hour Meter Interface Module (connect up to 8 watt hour meters)		308.00
MIM-B17BN	BACnet DMS 2 (Data Management Server with Built in BACnet Gateway - maximum 256 indoor units)		2,027.00
MIM-B18BN	LONWorks DMS 2 (Data Management Server with Built in LONWorks Gateway - maximum 128 indoor units)		2,027.00
MIM-B19N	MODBUS interface Module 48 indoor units (1 outdoor)		139.00

Monobloc Type

R32



Model Reference	Heat	phase	Description	LIST PRICE £
AE050RXYDEG/EU	5kW	1ph	MONO A2W Inverter Heat Pump R32	2,354.00
AE080RXYDEG/EU	8kW	1ph	MONO A2W Inverter Heat Pump R32	2,777.00
AE120RXYDEG/EU	12kW	1ph	MONO A2W Inverter Heat Pump R32	4,046.00
AE160RXYDEG/EU	16kW	1ph	MONO A2W Inverter Heat Pump R32	4,492.00
AE080RXYDGG/EU	8kW	3ph	MONO A2W Inverter Heat Pump R32	3,001.00
AE120RXYDGG/EU	12kW	3ph	MONO A2W Inverter Heat Pump R32	4,331.00
AE160RXYDGG/EU	16kW	3ph	MONO A2W Inverter Heat Pump R32	4,810.00
MIM-E03CN		1ph	Mono Control Kit - 1 Zone (MWR-WW10N included)	547.00
MIM-E03FN**		1ph	Mono Control Kit - 2 Zone (7" Touch Control & wifi included)	798.00

HIGH TEMP Monobloc Type

R290

70°C



Model Reference	Heat	phase	Description	LIST PRICE £
AE050CXYDEK/EU	5kW	1ph	MONO A2W Inverter Heat Pump R290	3,296.00
AE080CXYDEK/EU	8kW	1ph	MONO A2W Inverter Heat Pump R290	3,888.00
AE120CXYDEK/EU	12kW	1ph	MONO A2W Inverter Heat Pump R290	5,462.00
AE160CXYDEK/EU	16kW	1ph	MONO A2W Inverter Heat Pump R290	6,064.00
AE080CXYDGK/EU	8kW	3ph	MONO A2W Inverter Heat Pump R290	4,201.00
AE120CXYDGK/EU	12kW	3ph	MONO A2W Inverter Heat Pump R290	5,847.00
AE160CXYDGK/EU	16kW	3ph	MONO A2W Inverter Heat Pump R290	6,494.00
MIM-E03EN		1ph	Mono Control Kit - 2 Zone (MWR-WW10N included)	585.00
MIM-E03FN**		1ph	Mono Control Kit - 2 Zone (7" Touch Control & wifi included)	798.00

**Available from May 2025

R290

70°C



HIGH TEMP Monobloc Type with Pump & Control Kit*

Model Reference	Heat	phase	Description	LIST PRICE £
AE050CXYBEK/EU	5kW	1ph	MONO A2W Inverter Heat Pump R290 with Integral Hydro components	3,696.00
AE080CXYBEK/EU	8kW	1ph	MONO A2W Inverter Heat Pump R290 with Integral Hydro components	4,288.00
AE120CXYBEK/EU	12kW	1ph	MONO A2W Inverter Heat Pump R290 with Integral Hydro components	5,962.00
AE160CXYBEK/EU	16kW	1ph	MONO A2W Inverter Heat Pump R290 with Integral Hydro components	6,564.00
AE080CXYBGK/EU	8kW	3ph	MONO A2W Inverter Heat Pump R290 with Integral Hydro components	4,621.00
AE120CXYBGK/EU	12kW	3ph	MONO A2W Inverter Heat Pump R290 with Integral Hydro components	6,367.00
AE160CXYBGK/EU	16kW	3ph	MONO A2W Inverter Heat Pump R290 with Integral Hydro components	7,014.00

*Remote required for above mono with Pump & Control Kit

MWR-WW10N			LCD Colour Premium Wired Remote Control for EHS	95.00
-----------	--	--	---	-------

R32

70°C



HIGH TEMP Quiet Monobloc Type

NOTE: Maximum Leaving water temperature is 70°C, based on certain ambient conditions

Model Reference	Heat	phase	Description	LIST PRICE £
AE080BXYDEG/EU	8kW	1ph	HIGH TEMP MONO A2W Inverter Heat Pump R32	4,958.00
AE120BXYDEG/EU	12kW	1ph	HIGH TEMP MONO A2W Inverter Heat Pump R32	5,831.00
AE140BXYDEG/EU	14kW	1ph	HIGH TEMP MONO A2W Inverter Heat Pump R32	6,675.00
AE080BXYDGG/EU	8kW	3ph	HIGH TEMP MONO A2W Inverter Heat Pump R32	5,204.00
AE120BXYDGG/EU	12kW	3ph	HIGH TEMP MONO A2W Inverter Heat Pump R32	6,124.00
AE140BXYDGG/EU	14kW	3ph	HIGH TEMP MONO A2W Inverter Heat Pump R32	7,008.00
MIM-E03EN		1ph	Mono Control Kit - 2 Zone (MWR-WW10N included)	585.00
MIM-E03FN**		1ph	Mono Control Kit - 2 Zone (7" Touch Control & wifi included)	798.00

**Available from May 2025

ClimateHub 1.5 DHW Tank for Monobloc type (R32 or R290)



ASHP Monobloc ClimateHub Tank *					LIST PRICE £
Model Reference	type	phase	Capacity	Description	
AE200CNWMEG/EU	Mono	1ph	200L	Mono Tank (Wifi included)	4,088.00
AE260CNWMEG/EU	Mono	1ph	260L	Mono Tank (Wifi included)	4,170.00
AE260CNWMGG/EU	Mono	3ph	260L	Mono Tank (Wifi included)	4,380.00

* G3 Kit (purchased from others) required for each ClimateHub installation.

CLIMATEHUB 1.5 ACCESSORIES				LIST PRICE £
MHC-400FE	4kW	1ph	Optional Tank Backup Heater for Climate Hub 1.5	435.00
MHC-600FE	6kW	1ph	Optional Tank Backup Heater for Climate Hub 1.5	492.00

ClimateHub 2.0 DHW Tank for Monobloc type (R32 or R290)
- 600mm x 600mm footprint

~ available from May 2025

ASHP Monobloc ClimateHub 2.0 Tank ~					LIST PRICE £
Model Reference	type	phase	Capacity	Description	
AE200DNWMPK/EU	Mono	1ph	200L	Mono Tank (Wifi and 7" touch control included)	4,701.00

* G3 Kit (purchased from others) required for each ClimateHub installation.

Note: user

Mono Hydrobox - for Monobloc type (R290)



~ available from May 2025

ASHP Monobloc Hydrobox ~				LIST PRICE £
Model Reference	type	phase	Description	
AE160DNYMPK/EU	Mono	1ph	Hydro Box - 1 zone (Wifi and 7" touch control included)	2,397.00

ACCESSORIES For Monobloc systems, Climate Hub and Hydro Box

MONO - CONTROLS & ACCESSORIES		Description	LIST PRICE £
MVW-EE300		30m Extension wire for 7" touch control relocation from enclosure (+blank panel)	155.00
MOS-T1		2 Zone thermistor Kit	51.00
MRW-TA		Remote Temperature Sensor	23.00
MIM-H04EN		NEW Wi-Fi Receiver 2.0 for NASA EHS	139.00
MHC-300FP	3kW	Backup Heater and DHW Heater - 3kW - All models	601.00
MHC-015EE		SPLIT & MONO Optional Base Plate Heater (Post Defrost Water Removal)	58.00
MWR-WW10N		LCD Colour Premium Wired Remote Control for EHS	95.00

EHS SERVICE CLOUD - Software monitoring

A subscription based remote monitoring service is available for EHS utilising a wifi connection* & licences are available via Samsung Distribution / Service network

Note: A MIM-H04EN wifi kit may be necessary.

Accessories

Pre-plumbed DHW Cylinder - MIM Control kit pre-installed



ASHP Pre-plumbed DHW Cylinder				Usable water	Description	LIST PRICE £
Model Reference	Capacity	phase	Buffer	volume, V40(L)*		
ACL-150PSW	150L	1ph	30L	230L	SLIM LINE Pre-plumbed Cylinder	3,264.00
ACL-180PSW	180L	1ph	30L	280L	SLIM LINE Pre-plumbed Cylinder	3,436.00
ACL-180PW	180L	1ph	50L	260L	Pre-plumbed Cylinder	3,239.00
ACL-210PW	210L	1ph	50L	319L	Pre-plumbed Cylinder	3,408.00
ACL-250PFW	250L	1ph	70L	393L	Pre-plumbed Cylinder	3,547.00
ACL-300PFW	300L	1ph	70L	468L	Pre-plumbed Cylinder	3,621.00

G3 Kit included

*Usable water volume measured as per EN12897 with a primary flow temp ≥80°C at 15LPM.

DHW Cylinder ***



ASHP DHW Cylinder				Description	LIST PRICE £
Model Reference	Capacity	phase			
ACL-150CSW	150L	1ph		SLIM DHW Cylinder	1,579.00
ACL-180CSW	180L	1ph		SLIM DHW Cylinder	1,624.00
ACL-210CSW	210L	1ph		SLIM DHW Cylinder	1,677.00
ACL-150CW	150L	1ph		DHW Cylinder	1,439.00
ACL-180CW	180L	1ph		DHW Cylinder	1,526.00
ACL-210CW	210L	1ph		DHW Cylinder	1,560.00
ACL-250CW	250L	1ph		DHW Cylinder	1,657.00
ACL-300CW	300L	1ph		DHW Cylinder	1,737.00

***MIM Control kit and remote controller is not supplied with above - please order with ASHP

G3 Kit included

Split Type - small

R32



ASHP Split R32					LIST PRICE £
Model Reference	Heat	phase	Description		
AE040RXEDEG/EU	4kW	1ph	SPLIT A2W Inverter Heat Pump R32		1,084.00
AE060RXEDEG/EU	6kW	1ph	SPLIT A2W Inverter Heat Pump R32		1,339.00
AE090RXEDEG/EU	9kW	1ph	SPLIT A2W Inverter Heat Pump R32		1,708.00
AE090RNYDEG/EU	4-9kW	1ph	HYDRO	SPLIT A2W Hydro unit R32 (inc. Wired Controller)	2,053.00
AE090RXEDGG/EU	9kW	3ph	SPLIT A2W Inverter Heat Pump R32		1,839.00
AE090RNYDGG/EU	4-9kW	3ph	HYDRO	SPLIT A2W Hydro unit R32 (inc. Wired Controller)	2,440.00



ASHP Split ClimateHub with Integrated Hydro Tank * - R32					LIST PRICE £
Model Reference	Heat	phase	Capacity	Description	
AE200RNWSEG/EU	Split	1ph	200L	Split Integrated Hydro Tank (MWR-WW10N NOT Included) *	4,204.00
AE260RNWSEG/EU	Split	1ph	260L	Split Integrated Hydro Tank (MWR-WW10N NOT Included) *	4,288.00
AE260RNWGGG/EU	Split	3ph	260L	Split Integrated Hydro Tank (MWR-WW10N NOT Included) *	4,497.00

* G3 Kit (purchased from others) required for each ClimateHub installation.

Split Type - large

R410A



ASHP Split R410A					LIST PRICE £
Model Reference	Heat	phase	Description		
AE120AXEDEH/EU	12kW	1ph	SPLIT A2W Inverter Heat Pump R410A		2,261.00
AE160AXEDEH/EU	16kW	1ph	SPLIT A2W Inverter Heat Pump R410A		2,727.00
AE160ANYDEH/EU	12-16kW	1ph	HYDRO	SPLIT A2W Hydro unit R410A (inc. Wired Controller)	2,116.00
AE120AXEDGH/EU	12kW	3ph	SPLIT A2W Inverter Heat Pump R410A		2,381.00
AE160AXEDGH/EU	16kW	3ph	SPLIT A2W Inverter Heat Pump R410A		2,846.00
AE160ANYDGH/EU	12-16kW	3ph	HYDRO	SPLIT A2W Hydro unit R410A (inc. Wired Controller)	2,486.00

NOTE: R410A cannot be connected to R32 Climate Hub

ASHP SPLIT CONTROLS & ACCESSORIES					LIST PRICE £
MHC-015EE			SPLIT & MONO Optional Base Plate Heater (Post Defrost Water Removal)		58.00
MWR-WW10N			NEW LCD Colour Premium Wired Remote Control for EHS		95.00
MIM-H04EN			NEW Wi-Fi Receiver 2.0 for NASA EHS		139.00
MHC-400FE	4kW	1ph	Optional Tank Backup Heater for Climate Hub		435.00
MHC-600FE	6kW	1ph	Optional Tank Backup Heater for Climate Hub		492.00
MRW-TA			Remote Temperature Sensor		23.00

EHS SERVICE CLOUD

A subscription based remote monitoring service is available for EHS utilising a wifi connection* & licences are available via Samsung Distribution / Service network

Note: A MIM-H04EN wifi kit may be necessary.


TDM+ R410A - Time Division Multi - ASHP & A/C combined

EHS TDM+ R410A					
Model Reference	Heat	phase	Description		LIST PRICE £
AE044MXTPEH/EU	4.4kW	1ph		TDM PLUS A2A & A2W Inverter Heat Pump R410A	1,314.00
AE066MXTPEH/EU	6.6kW	1ph		TDM PLUS A2A & A2W Inverter Heat Pump R410A	1,610.00
AE090MXTPEH/EU	9kW	1ph		TDM PLUS A2A & A2W Inverter Heat Pump R410A	1,960.00
AE120MXTPEH/EU	12kW	1ph		TDM PLUS A2A & A2W Inverter Heat Pump R410A	2,786.00
AE160MXTPEH/EU	16kW	1ph		TDM PLUS A2A & A2W Inverter Heat Pump R410A	3,483.00
AE090BNYDEH/EU	4-9KW	1ph	HYDRO	TDM PLUS A2W Hydro unit R410A (Inc. Wired controller)	2,421.00
AE160BNYDEH/EU	12-16kW	1ph	HYDRO	TDM PLUS A2W Hydro unit R410A (Inc. Wired controller)	3,154.00
AE090MXTPGH/EU	9kW	3ph		TDM PLUS A2A & A2W Inverter Heat Pump R410A	2,078.00
AE120MXTPGH/EU	12kW	3ph		TDM PLUS A2A & A2W Inverter Heat Pump R410A	2,903.00
AE160MXTPGH/EU	16kW	3ph		TDM PLUS A2A & A2W Inverter Heat Pump R410A	3,601.00
AE090BNYDGH/EU	4-9KW	3ph	HYDRO	TDM PLUS A2W Hydro unit R410A (Inc. Wired controller)	2,550.00
AE160BNYDGH/EU	12-16kW	3ph	HYDRO	TDM PLUS A2W Hydro unit R410A (Inc. Wired controller)	3,282.00


EHS TDM+ ClimateHub Integrated Hydro Tank *

AE200TNWTEH/EU	TDM+	1ph	200L	TDM+ Integrated Hydro Tank (MWR-WW10N NOT Included) *	4,269.00
AE260TNWTEH/EU	TDM+	1ph	260L	TDM+ Integrated Hydro Tank (MWR-WW10N NOT Included) *	4,351.00

* G3 Kit (purchased from others) required for each ClimateHub installation.

EHS TDM+ Air Conditioning indoor units					LIST PRICE £
SLIM DUCT	Cool	Heat	Description		
AE022ANLDEH/EU	2.2kW	2.5kW		TDM PLUS Slimline Ducted Unit	611.00
AE028ANLDEH/EU	2.8kW	3.2kW		TDM PLUS Slimline Ducted Unit	629.00
AE036ANLDEH/EU	3.6kW	4.0kW		TDM PLUS Slimline Ducted Unit	636.00
AE056ANLDEH/EU	5.6kW	6.3kW		TDM PLUS Slimline Ducted Unit	678.00

MSP DUCT

AE071ANMPEH/EU	7.1kW	8.0kW		TDM PLUS MSP Duct S Unit		755.00
AE090ANMPEH/EU	9.0kW	10.0kW		TDM PLUS MSP Duct S Unit		859.00

FLOOR CONSOLE - Spi filter as standard

AE022MNJDEH/EU	2.2kW	2.5kW		TDM PLUS Floor Console unit		631.00
AE028MNJDEH/EU	2.8kW	3.2kW		TDM PLUS Floor Console unit		655.00
AE036MNJDEH/EU	3.6kW	4.0kW		TDM PLUS Floor Console unit		702.00

HIGH WALL - WindFree™ (NO EEV) - please order EEV accessory

AE022TNXDEH/EU	2.2kW	2.5kW		TDM PLUS WindFree high wall unit		513.00
AE028TNXDEH/EU	2.8kW	3.2kW		TDM PLUS WindFree high wall unit		537.00
AE036TNXDEH/EU	3.6kW	4.0kW		TDM PLUS WindFree high wall unit		584.00
AE056TNXDEH/EU	5.6kW	6.3kW		TDM PLUS WindFree high wall unit		631.00
AE071TNXDEH/EU	6.8kW	7.0kW		TDM PLUS WindFree high wall unit		678.00

EHS Accessories TDM+ Air to Air indoor units			
Model Reference	Description		LIST PRICE £
MEV-E24SA	EEV Kit (1 Indoor) for Wall unit with no EEV	<4kW	95.00
MEV-E32SA	EEV Kit (1 Indoor) for Wall unit with no EEV	>4kW	104.00
MXD-E24K132A	EEV Kit (2 Indoor) for Wall unit with no EEV	port 1 <4kW, port 2 >4kW	249.00
MXD-E24K200A	EEV Kit (2 Indoor) for Wall unit with no EEV	port 1 <4kW, port 2 <4kW	249.00
MXD-E32K200A	EEV Kit (2 Indoor) for Wall unit with no EEV	port 1 >4kW, port 2 >4kW	249.00
MXD-E24K232A	EEV Kit (3 Indoor) for Wall unit with no EEV	port 1 <4kW, port 2 <4kW, port 3 >4kW	316.00
MXD-E24K300A	EEV Kit (3 Indoor) for Wall unit with no EEV	port 1 <4kW, port 2 <4kW, port 3 <4kW	316.00
MXD-E32K224A	EEV Kit (3 Indoor) for Wall unit with no EEV	port 1 <4kW, port 2 >4kW, port 3 >4kW	316.00
MXD-E32K300A	EEV Kit (3 Indoor) for Wall unit with no EEV	port 1 >4kW, port 2 >4kW, port 3 >4kW	316.00
MWR-WW10N	LCD Colour Premium Wired Remote Control for EHS Heating Control		95.00
MWR-WG01JN	LCD COLOUR PREMIUM Wired Controller (NASA) for Indoor units		95.00
MWR-SH11N	Simplified Wired Remote Controller (NASA) for Indoor units		92.00
AR-EH03E	WindFree & STANDARD Wireless Remote controller for indoor units		36.00
MRK-A10N	DUCT S & Slim Duct Wireless Signal Receiver Kit (requires AR-EH03E)		35.00
MIM-H04EN	Wi-Fi Receiver 2.0 for NASA EHS		139.00
MXJ-YA1509M	Y-Joint (<15kW)		56.00
MDP-E075SEE3D	Drain Pump for Slimline Ducted Unit		81.00
MDP-G075SP	Drain Pump for DUCT S Ducted Unit		76.00
MRW-TA	Remote Temperature Sensor		23.00

Services

UK Deliveries

A next day UK mainland delivery service* is available provided the goods are in UK stock and the order is received by our Order Processing Team before 2pm.

Please use the following email address to place orders: **order.aircon@samsung.com**

A normal weekday delivery service on a tail lift lorry is between 9am and 5:30pm and is Free of Charge.

Additional Delivery Service charges are as follows:

Code	Description	Price £
L-DLVYAM12/E1	Delivery before 1pm	40.00
L-DLVYPM17/E1	Delivery in afternoon (post 12 Noon - before 5:30pm)	40.00
L-DLVYFIXTM2/E1	Delivery at a fixed time (2hr Window)	150.00
L-DLVYSATDAY/E1	Delivery on Saturday	250.00
L-DLVYDEDICAT/E1	Delivery on Dedicated vehicle	280.00
L-DLVYCRANE/E1	Delivery on HiAB Vehicle	850.00
L-DLVYSLVFORS/E1	Silver Fors Vehicle	800.00
L-DLVYREDLVRY/E1	Re-delivery charge	50.00

Please note:

Normal weekday delivery service on a tail lift lorry is between 9am and 5:30pm and is Free of Charge.

Before 1pm deliveries arranged the previous day will not always be possible for the following postcodes: TR,PL,SA,LL,SY,FK,G,KY,DD,EH,ML,KA,DG,TD,BN.

Saturday, Dedicated, SilverFors or HiAB vehicle deliveries require orders to be processed at least 3 working days prior to delivery date.

* Northern Scotland will be a 48 to 72 hr delivery service, covering postcodes PA, PH, AB, IV, KW.

HiAB and SilverFors vehicles specification will be provided during the quotation process.

Some delivery charges maybe combined (Vehicle + Time), e.g. Dedicated+AM will be £280+£40 = £320

Commissioning

On-site commissioning **assistance** is available from Samsung approved trained technicians.

Commissioning rates below are determined by the installed equipment type and quantity, please forward a DVM Pro report to **tech.aircon@samsung.com** for price confirmation.

Availability is subject to demand so please book assisted commissioning in advance

Commissioning Assistance Service Charges are as follows:

Code	Description	Per	Price £
AI-INSTDVM00	DVM, Commissioning Assist DVM Half Day	Half Day	300.00
AI-INSTDVM01	DVM, Commissioning Assist DVM Full Day	Full Day	550.00
AI-INSTDVM02	DVM, Commissioning Assist DVM Per Hour	Per Hour	75.00
AI-INSTEHS00	EHS, Commissioning Assist Air to Water (EHS) Half Day	Half Day	300.00
AI-INSTEHS01	EHS, Commissioning Assist Air to Water (EHS) Full Day	Full Day	550.00
AI-INSTEHS02	EHS, Commissioning Assist Air to Water (EHS) Per Hour	Per Hour	75.00
AI-INSTSAC01	Additional Travel cost	Per Mile	0.45

Please note that above prices and confirmed attendance assumes*:

The Installation has been carried out by a Samsung trained Installer.

A Pre-commissioning check list has been completed.

The Installer engineer is in attendance for duration of commissioning and has a MIM-C02N (diagnostic tool - see page 40) connected to a Laptop PC.

Safe access to all equipment is available.

System trim charge has already been added during pre-commissioning.

Reclaim equipment and virgin refrigerant is available on site.

**If any of the above requirements are not adhered to, the site visit may be halted and re-booked at additional cost, or additional costs will apply on the day.*

SAMSUNG

Find your flow.

Create your perfect environment.

Learn more about Samsung Climate Solutions at:
www.samsung-climatesolutions.com

Samsung Electronics Air Conditioner Europe B.V.
Evert Van Beekstraat 310
1118 CX Schiphol
Netherlands

Terms & Conditions

This price list is subject to our Standard Terms and Conditions of Sale.

This price list will take effect from 1 January 2025 and will remain valid until further notice.

All prices quoted are excluding VAT and will be charged at the prevailing rate. Our standard delivery terms are 1 to 3 days, delivered kerbside to your UK mainland premises, from our acceptance of your order.

All deliveries will be made during normal working hours with unlimited access. AM/PM, Timed deliveries, or any additional delivery vehicle requirements will be subject to additional costs.

Samsung cannot accept the return of goods that have been unboxed and/or signs of visible damage to the packaging or the unit within, unless reported to Samsung in writing <72hrs following delivery.

DISCLAIMER

Although we endeavour to ensure the technical and factual accuracy of all the content of this document, associated attachments and additional brochures, this cannot be guaranteed. For further information on liabilities and our terms and conditions, please visit www.samsung-climatesolutions.com.

Electrical information provided is guidance and values should be confirmed by a qualified electrician.